



# All.Out.

Collection FW 2026



**Welcome to the  
2026 Collection**



**Index**

**BLIZZARD**

<b>Ski Collection</b>	
<b>Technologies</b>	2
<b>Race</b>	6
<b>On Piste</b>	16
<b>All Mountain</b>	24
<b>Freeride</b>	28
<b>Freeski</b>	32
<b>Touring</b>	36
<b>Junior</b>	39
<b>Rental</b>	40
<b>Accessories</b>	43

**TECNICA**

<b>Ski Boot Collection</b>	
<b>Technologies</b>	46
<b>Race</b>	52
<b>On Piste</b>	60
<b>All Mountain</b>	69
<b>All Mountain - Freeride</b>	70
<b>Touring</b>	74
<b>Junior</b>	76
<b>Rental</b>	78
<b>Accessories</b>	82

# Perfect Balanced Flex.



Trueblend is Blizzard's foundational woodcore technology which allows us to specifically design every model and size for the target customer. We select specific woods, characterized by different densities, blending and positioning them to form woodcores that are designed to optimize the flex of and deliver a smooth and balanced feeling.


This technology also allows Blizzard to build skis that pack a tremendous amount of performance but that are not hard to ski.

Each product family has a distinct Trueblend in order to optimize the right performance, control, and confidence.



## Standard Woodcore





## Race





## Piste High Performance





## All Mountain Piste Sport Performance



## Free



## Tour




# Blizzard Constructions.


At the heart of every ski is a specifically designed woodcore, fine-tuned to deliver the optimal flex and maximum performance per category. The construction surrounding the woodcore is also specific to each category, designed to complement the woodcore and provide the best skiing experience for every type of skier in every discipline.

## Race / High Performance

### Firebird Race-Type




### Firebird




## All Mountain

### Anomaly




### Black Pearl




## Piste / High Performance

### Thunderbird




### Phoenix R14 Pro




## Free

### Rustler




### Sheeva




## Piste/ Sport Performance

### Stormbird DTI




### Stormbird TI




## Tour

### Zero G



## Tour

### Zero G W2W



# Race



## Firebird

# Own Your Next Turn.

# Race

NEW



**Firebird DH R.D. (Flat + Plate)**  
**Cod.** 8A630000-001  
 Orange

**Lengths:** 212-218 cm  
**Radius:** >50->50 m  
**Sidecut:** R&D  
**Weight (Flat):** 2620 g  
**Construction:** Race Dept. Construction  
**Core + Key Materials:** Race Dept. Full Woodcore  
**Rocker:** Full Camber  
**Plate:** World Cup PC Interface 10mm  
**Suggested Binding:** Comp30 / Comp20  
**Key Technology:** Phenol Sidewalls

NEW



**Firebird SG R.D. (Flat + Plate)**  
**Cod.** 8A630200-001  
 Orange

**Lengths:** 185-195-202-205-212 cm  
**Radius:** >30->33->33->40->45 m  
**Sidecut:** R&D  
**Weight (Flat):** 2420 g  
**Construction:** Race Dept. Construction  
**Core + Key Materials:** Race Dept. Full Woodcore  
**Rocker:** Full Camber  
**Plate:** World Cup PC Interface 10mm  
**Suggested Binding:** Comp30 / Comp20  
**Key Technology:** Phenol Sidewalls

NEW



**Firebird GS R.D. (Flat + Plate)**  
**Cod.** 8A630400-001  
 Orange

**Lengths:** 188-193 cm  
**Radius:** >30->30 m  
**Sidecut:** R&D  
**Weight (Flat):** 2140 g  
**Construction:** Race Dept. Construction  
**Core + Key Materials:** Race Dept. Full Woodcore  
**Rocker:** Full Camber  
**Plate:** World Cup PC Interface 10mm  
**Suggested Binding:** Comp30 / Comp20  
**Key Technology:** Phenol Sidewalls

NEW



**Firebird SL R.D. (Flat + Plate)**  
**Cod.** 8A630300-001  
 Purple

**Lengths:** 156-165 cm  
**Radius:** >13->13 m  
**Sidecut:** R&D  
**Weight (Flat):** 1840 g  
**Construction:** Race Dept. Construction  
**Core + Key Materials:** Race Dept. Full Woodcore  
**Rocker:** Full Camber  
**Plate:** World Cup PC Interface 14mm  
**Suggested Binding:** Comp30 / Comp20  
**Key Technology:** Phenol Sidewalls

NEW



**Firebird SL R.D. M Plate (Flat + Plate)**  
**Cod.** 8A630600-001  
 Purple

**Lengths:** 156-165 cm  
**Radius:** >13->13 m  
**Sidecut:** R&D  
**Weight (Flat):** 1840 g  
**Construction:** Race Dept. Construction  
**Core + Key Materials:** Race Dept. Full Woodcore  
**Rocker:** Full Camber  
**Plate:** World Cup PC Interface 10mm  
**Suggested Binding:** Comp30 / Comp20  
**Key Technology:** Phenol Sidewalls

R.D.

## WC FIS

## Junior

NEW

HANDMADE  
IN AUSTRIA**Firebird GS FIS  
(Flat + Plate)**

**Cod.** 8A631000-001  
Orange

**Lengths:** 183-188 cm  
**Radius:** >23->25 m  
**Sidecut:** 103-65-86 mm (183)  
**Weight (Flat):** 1950 g  
**Construction:** FIS Racing Construction  
**Core + Key Materials:** FIS Full Woodcore  
**Rocker:** Full Camber  
**Plate:** World Cup PC Interface 10mm  
**Suggested Binding:** Comp20 / Comp16  
**Key Technology:** Phenol Sidewalls

NEW

HANDMADE  
IN AUSTRIA**Firebird SL FIS  
(Flat + Plate)**

**Cod.** 8A631200-001  
Purple

**Lengths:** 156-165 cm  
**Radius:** >12->13 m  
**Sidecut:** 116.5-65-101.5 mm (165)  
**Weight (Flat):** 1840 g  
**Construction:** FIS Racing Construction  
**Core + Key Materials:** FIS Full Woodcore  
**Rocker:** Full Camber  
**Plate:** World Cup PC Interface 10mm  
**Suggested Binding:** Comp20 / Comp16  
**Key Technology:** Phenol Sidewalls

NEW

HANDMADE  
IN AUSTRIA**Firebird GS Racing  
(Flat + Plate)**

**Cod.** 8A631400-001  
Orange

**Lengths:** 173-178-183-188 cm  
**Radius:** >23->23->23->25 m  
**Sidecut:** 103-65.5-86 mm (183)  
**Weight (Flat):** 1840 g  
**Construction:** Racing Construction  
**Core + Key Materials:** Racing Full Woodcore  
**Rocker:** Full Camber  
**Plate:** World Cup PC Interface 10mm  
**Suggested Binding:** Comp20 / Comp16 RD / Comp12

NEW

HANDMADE  
IN AUSTRIA**Firebird SL Racing  
(Flat + Plate)**

**Cod.** 8A631600-001  
Purple

**Lengths:** 151 cm  
**Radius:** >13 m  
**Sidecut:** 112.5-66.5-100.5 mm (151)  
**Weight (Flat):** 1800 g  
**Construction:** Racing Construction  
**Core + Key Materials:** Racing Full Woodcore  
**Rocker:** Full Camber  
**Plate:** World Cup PC Interface 10mm  
**Suggested Binding:** Comp20 / Comp16 RD / Comp12

NEW

**Firebird GS JR Racing  
(Flat + Plate)**

**Cod.** 8A631800-001  
Orange

**Lengths:** 129-136-143-150-157-164-171 cm  
**Radius:** >12->14->14->14->17->17->17 m  
**Sidecut:** 104-65.5-87 mm (157)  
**Weight (Flat):** 1370 g  
**Construction:** Racing Construction  
**Core + Key Materials:** JR Racing Full Woodcore  
**Rocker:** Full Camber  
**Plate:** Junior Racing Plate S(129-150)/L(157-171)  
**Suggested Binding:** Comp10 TCX / Comp10 / Comp J8

NEW

**Firebird SL JR Racing  
(Flat + Plate)**

**Cod.** 8A632000-001  
Purple

**Lengths:** 121-128-135-142-149 cm  
**Radius:** >9->9->10->10->12 m  
**Sidecut:** 109-64-89 mm (135)  
**Weight (Flat):** 1070 g  
**Construction:** Racing Construction  
**Core + Key Materials:** JR Racing Full Woodcore  
**Rocker:** Full Camber  
**Plate:** Junior Racing Plate S(122-136)/L(143-150)  
**Suggested Binding:** Comp10 TCX / Comp10 / Comp J8

NEW

**Firebird Comp. JR  
+ FDT JR 7**

**Cod.** 8A6322ME-001  
Orange

**Lengths:** 100-110-120-130-140-150-162 cm  
**Radius:** 7-8-9-10-11-12-14.5 m  
**Sidecut:** 113-69-93 mm (130)  
**Weight (Flat):** 820 g  
**Construction:** Racing Construction  
**Core + Key Materials:** JR Racing Full Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Junior RTL Plate S(100-120)/L(130-162)

NEW

**Firebird Comp. JR  
+ FDT JR 4.5**

**Cod.** 8A6324MF-001  
Orange

**Lengths:** 100-110-120-130-140-150 cm  
**Radius:** 7-8-9-10-11-12 m  
**Sidecut:** 113-69-93 mm (130)  
**Weight (Flat):** 820 g  
**Construction:** Racing Construction  
**Core + Key Materials:** JR Racing Full Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Junior RTL Plate S(100-120)/L(130-150)




  
**Firebird  
Race-Type.**

# Own Your Next Turn.

## Race-Type Construction

Developed directly by our Racing Department, this ski features a Trueblend Race Woodcore combined with full-length Titanal layers from tip to tail for uncompromised power and edge precision. A phenol sidewall ensures razor-sharp grip and maximum torsional stiffness, while a dual-Titanal tip construction, separated by a thin rubber damping layer, delivers a dynamic and progressive flex that adapts smoothly through every turn. The result: race-inspired control and confidence, wherever you push the limits.



## Trueblend Race Woodcore

The Trueblend Race Woodcore is designed with a harder flex zone in the center, that provides stability and edge grip, a medium flex zone in front of and behind the binding that provides control, and a soft flex zone in the tip and tail that provides easy turn initiation and release. Trueblend technology allows us to precisely control the flex throughout the whole length of the ski and in every size.



## World Cup Running Base

Featuring a World Cup Running Base with a precision fishbone structure, this base technology ensures exceptional glide and superior wax absorption in all snow conditions. Engineered for racers and expert skiers alike, the refined micro-pattern minimizes friction and maximizes acceleration, delivering that unmistakable World Cup-level smoothness from start gate to finish line.



High Performance

NEW



**Firebird Race Type LT (Flat)**

**Cod.** 8A633700-001  
Orange

**Lengths:** 173-179-183 cm  
**Radius:** 17-19-21 m  
**Sidcut:** 115-67-96 mm (173)  
**Weight (Flat):** 1950 g  
**Construction:** 3 Full Ti Racing + Trueblend Race  
**Core + Key Materials:** Trueblend Race Woodcore  
**Rocker:** Full Camber  
**Key Technology:** Phenol Sidewalls + WC running base

NEW



**Firebird Race Type MT (Flat)**

**Cod.** 8A633500-001  
Purple

**Lengths:** 167-173-179 cm  
**Radius:** 14-15-16 m  
**Sidcut:** 120-67-100 mm (173)  
**Weight (Flat):** 1950 g  
**Construction:** 3 Full Ti Racing + Trueblend Race  
**Core + Key Materials:** Trueblend Race Woodcore  
**Rocker:** Full Camber  
**Key Technology:** Phenol Sidewalls + WC running base

Each Firebird Race-Type flat ski is compatible with two plate options and three binding configurations, allowing for optimal customization and performance.

**Plate options\***



**World Cup PC Interface Mounting Kit**  
**Cod:** 8B602000-001

The kit includes:  
- Plates  
- Mounting support sticker  
- Installation instructions



**Race Plate Pro Mounting Kit**  
**Cod:** 8B603000-001

The kit includes:  
- Plates  
- Mounting support sticker  
- Installation instructions

\*Physical WC plate and Race plate mounting tools available aftermarket:

8B41100-001 Mounting Tool - WC Plate  
8B41100-001 Mounting Tool - Griffon

**Binding options**



**Comp 20**  
**Cod:** 8C640000-001



**Comp 16 GW**  
**Cod:** 8C651000-001



**Comp 12 GW**  
**Cod:** 8C652100-001

NEW



**Firebird Race Type LT (Flat + Plate)**

**Cod.** 8A633000-001  
Orange

**Lengths:** 173-179-183 cm  
**Radius:** 17-19-21 m  
**Sidcut:** 115-67-96 mm (173)  
**Weight (Flat):** 1950 g  
**Construction:** 3 Full Ti Racing + Trueblend Race  
**Core + Key Materials:** Trueblend Race Woodcore  
**Rocker:** Full Camber  
**Plate:** Race Plate Pro B  
**Key Technology:** Phenol Sidewalls + WC running base

NEW



**Firebird Race Type MT (Flat + Plate)**

**Cod.** 8A633200-001  
Purple

**Lengths:** 167-173-179 cm  
**Radius:** 14-15-16 m  
**Sidcut:** 120-67-100 mm (173)  
**Weight (Flat):** 1950 g  
**Construction:** 3 Full Ti Racing + Trueblend Race  
**Core + Key Materials:** Trueblend Race Woodcore  
**Rocker:** Full Camber  
**Plate:** Race Plate Pro B  
**Key Technology:** Phenol Sidewalls + WC running base

Each Firebird Race-Type model equipped with the pre-mounted Race Plate Pro is compatible with three binding options, offering maximum customization and performance.

**Binding options**



**Comp 20**  
**Cod:** 8C640000-001



**Comp 16 GW**  
**Cod:** 8C651000-001



**Comp 12 GW**  
**Cod:** 8C652100-001

## Sport Performance

NEW

TRUE BLEND  
WOODCOREHANDMADE  
IN AUSTRIA

NEW

TRUE BLEND  
WOODCOREHANDMADE  
IN AUSTRIA

NEW

TRUE BLEND  
WOODCOREHANDMADE  
IN AUSTRIA

NEW

TRUE BLEND  
WOODCOREHANDMADE  
IN AUSTRIA

NEW

TRUE BLEND  
WOODCOREHANDMADE  
IN AUSTRIA

NEW

TRUE BLEND  
WOODCOREHANDMADE  
IN AUSTRIA

NEW

TRUE BLEND  
WOODCOREHANDMADE  
IN AUSTRIA

NEW



**Firebird WRC  
+ Comp13 Demo**  
Cod. 8A6338FE-001  
Orange

**Lengths:** 170-175-180-185 cm  
**Radius:** 16.5-17.5-18.5-19.5 m  
**Sidecut:** 115.5-68-98.5 mm (180)  
**Weight (Flat):** 1870 g  
**Construction:** 3Ti Racing + Trueblend Race  
**Core + Key Materials:** Trueblend Race Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B

**Firebird HRC  
+ Comp13 Demo**  
Cod. 8A6340FE-001  
Purple

**Lengths:** 160-165-170-175-180 cm  
**Radius:** 13-14-15-15.8-16.5 m  
**Sidecut:** 121-69-102 mm (175)  
**Weight (Flat):** 1870 g  
**Construction:** 3Ti Racing + Trueblend Race  
**Core + Key Materials:** Trueblend Race Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B

**Firebird HRC  
+ Comp13 Demo**  
Cod. 8A6341FE-001  
White

**Lengths:** 160-165-170-175-180 cm  
**Radius:** 13-14-15-15.8-16.5 m  
**Sidecut:** 121-69-102 mm (175)  
**Weight (Flat):** 1870 g  
**Construction:** 3Ti Racing + Trueblend Race  
**Core + Key Materials:** Trueblend Race Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B

**Firebird SRC  
+ Comp13 Demo**  
Cod. 8A6342FE-001  
Purple

**Lengths:** 155-160-165-170 cm  
**Radius:** 11-12-12.5-13.5 m  
**Sidecut:** 121-68-105 mm (165)  
**Weight (Flat):** 1700 g  
**Construction:** 3Ti Racing + Trueblend Race  
**Core + Key Materials:** Trueblend Race Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B

**Firebird 70 RS TI  
+ Comp12 Demo**  
Cod. 8A6344FD-001  
White

**Lengths:** 154-160-166-172-178 cm  
**Radius:** 13-14-14.5-15.5-16.5 m  
**Sidecut:** 121.5-70-104 mm (172)  
**Weight (Flat):** 1770 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B

**Firebird 76 RS TI  
+ Comp12 Demo**  
Cod. 8A6346FD-001  
Blue

**Lengths:** 160-165-170-175-180 cm  
**Radius:** 12-13-14-15-16 m  
**Sidecut:** 125-76-106 mm (175)  
**Weight (Flat):** 1810 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B

**Firebird 70 S TI  
+ TPX12 Demo**  
Cod. 8A6348AG-001  
Sand

**Lengths:** 148-154-160-166-172-178 cm  
**Radius:** 11-12-13-13.5-14.5-15.5 m  
**Sidecut:** 121-70-104 mm (172)  
**Weight (Flat):** 1580 g  
**Construction:** Sandwich Partial Sidewall Ti + Trueblend Piste  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** TI Reinforcement

**Firebird TI  
+ TP11 Light Demo**  
Cod. 8A6349CA-001  
White

**Lengths:** 148-154-160-166-172-178 cm  
**Radius:** 11-12-13-13.5-14.5-15.5 m  
**Sidecut:** 121-72-104 mm (172)  
**Weight (Flat):** 1580 g  
**Construction:** Sandwich Partial Sidewall Ti  
**Core + Key Materials:** Full Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT HP 2.0 Plate  
**Key Technology:** TI Reinforcement

On Piste



Blizzard Thunderbird

Craft Your Turn.

On Piste

High Performance



**Blizzard Thunderbird R15 PLUS**

**+ Comp14 Demo**

Cod. 8A5320FA-001

Black / Iridescent

**Lengths:** 170-175-180 cm

**Radius:** 14.5-15-16 m

**Sidecut:** 121-70-102 mm (175)

**Weight (Flat):** 1790 g

**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste + Active Armor

**Core + Key Materials:** Trueblend Piste Woodcore

**Rocker:** Full Camber

**Plate:** Race Plate Pro B

**Key Technology:** Active Carbon Armor



**Thunderbird Plus Experience**

You didn't just buy a ski — you unlocked an experience.




The Thunderbird Plus Experience is our way of offering you a truly unique experience: a rare, behind-the-scenes look at our historic factory, the Home of Blizzard, and a chance to meet the people who brought this project to life. This is your invitation to step into the world of Blizzard.

Scan to discover more



NEW



**Blizzard Thunderbird R15 LTD + Comp12 Demo**  
Cod. 8A5321FB-001  
Black

**Lengths:** 155-160-165-170-175-180 cm  
**Radius:** 11.5-12.5-13.5-14.5-15-16 m  
**Sidecut:** 121-70-102 mm (175)  
**Weight (Flat):** 1790 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste + Active Armor  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** Active Armor

**Blizzard Thunderbird R15-76 LTD + Comp12 Demo**  
Cod. 8A5322FB-001  
Blue

**Lengths:** 158-166-174-182 cm  
**Radius:** 13-14.5-15-17 m  
**Sidecut:** 126-76-107 mm (174)  
**Weight (Flat):** 1850 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste + Active Armor  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** 2 mm Rocker  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** Active Armor

**Blizzard Thunderbird R15-82 LTD + Comp12 Demo**  
Cod. 8A5323FB-001  
Burgundy

**Lengths:** 165-170-175-180 cm  
**Radius:** 13-14-15-16 m  
**Sidecut:** 131-82-112 mm (175)  
**Weight (Flat):** 1930 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste + Active Armor  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Tip Rocker  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** Active Armor

**Blizzard Thunderbird R13 LTD + Comp12 Demo**  
Cod. 8A5324FB-001  
White

**Lengths:** 155-160-165-170 cm  
**Radius:** 11-12-13-13.5 m  
**Sidecut:** 121-68-105 mm (165)  
**Weight (Flat):** 1630 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste + Active Armor  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** Active Armor

**Blizzard Thunderbird R15 + TPX12 Demo**  
Cod. 8A6355AG-001  
Sand

**Lengths:** 155-160-165-170-175-180 cm  
**Radius:** 11.5-12.5-13.5-14.5-15-16 m  
**Sidecut:** 121-70-102 mm (175)  
**Weight (Flat):** 1790 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste + Active Armor  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** 2 mm Rocker  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** Active Armor

**Blizzard Thunderbird R15-76 + TPX12 Demo**  
Cod. 8A5327AG-001  
Anthracite

**Lengths:** 158-166-174-182 cm  
**Radius:** 13-14.5-15-17 m  
**Sidecut:** 126-76-107 mm (174)  
**Weight (Flat):** 1850 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste + Active Armor  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** Active Armor

**Blizzard Thunderbird R15-82 + TPX12 Demo**  
Cod. 8A5328AG-001  
Petrol

**Lengths:** 165-170-175-180 cm  
**Radius:** 13-14-15-16 m  
**Sidecut:** 131-82-112 mm (175)  
**Weight (Flat):** 1930 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste + Active Armor  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Tip Rocker  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** Active Armor

**Blizzard Thunderbird R13 + TPX12 Demo**  
Cod. 8A5329AG-001  
Grey

**Lengths:** 155-160-165-170 cm  
**Radius:** 11-12-13-13.5 m  
**Sidecut:** 121-68-105 mm (165)  
**Weight (Flat):** 1630 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste + Active Armor  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** Active Armor

On Piste



Stormbird

# Unlock Your Turn.

Sport Performance



TRUE BLEND  
WOODCORE

**Stormbird 82 DTI  
+ TPX12 Demo**  
Cod. 8A5330AP-001  
Khaki / Dark blue

**Lengths:** 165-170-175-180 cm  
**Radius:** 13-14-15-16 m  
**Sidecut:** 131-82-112 mm (180)  
**Weight (Flat):** 1980 g  
**Construction:** Sandwich Full Sidewall 2Ti + Trueblend Piste  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Tip Rocker  
**Plate:** FDT HP Plate  
**Key Technology:** Vibration Dampening Layer

NEW



TRUE BLEND  
WOODCORE

**Stormbird 80 TI  
+ TP11 Light Demo**  
Cod. 8A6487CC-001  
Petrol / Anthracite

**Lengths:** 160-165-170-175 cm  
**Radius:** 12-13-14-15 m  
**Sidecut:** 129-80-110 mm (175)  
**Weight (Flat):** 1780 g  
**Construction:** Sandwich Partial Sidewall Ti + Trueblend Piste  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** 2 mm Rocker  
**Plate:** FDT Free Plate  
**Key Technology:** Vibration Dampening Layer

NEW



TRUE BLEND  
WOODCORE

**Stormbird 76 TI  
+ TP11 Light Demo**  
Cod. 8A6352CC-001  
Anthracite

**Lengths:** 145-150-155-160-165-170-175 cm  
**Radius:** 11-11.5-12-12.5-13-14-15 m  
**Sidecut:** 125-76-106 mm (170)  
**Weight (Flat):** 1750 g  
**Construction:** Sandwich Partial Sidewall Ti + Trueblend Piste  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** 2 mm Rocker  
**Plate:** FDT Free Plate  
**Key Technology:** Vibration Dampening Layer

NEW



NEW



**Stormbird 76 CA  
+ TPC11 Demo**  
Cod. 8A6358BI-001  
Petrol / Grey

**Lengths:** 145-150-155-160-165-170-175 cm  
**Radius:** 11-11.5-12-12.5-13-14-15 m  
**Sidecut:** 125-76-105 mm (170)  
**Weight (Flat):** 1630 g  
**Construction:** Sandwich Partial Sidewall  
**Core + Key Materials:** Full Woodcore  
**Rocker:** 2 mm Rocker  
**Plate:** FDT Free Plate  
**Key Technology:** Vibration Dampening Layer

**Stormbird 72 CA  
+ TPC11 Demo**  
Cod. 8A6356BI-001  
Blue / Grey

**Lengths:** 148-154-160-166-172-178 cm  
**Radius:** 11-12-13-13.5-14.5-15.5 m  
**Sidecut:** 121-72-104 mm (172)  
**Weight (Flat):** 1560 g  
**Construction:** Sandwich Partial Sidewall  
**Core + Key Materials:** Full Woodcore  
**Rocker:** Tip Rocker  
**Plate:** FDT Free Plate  
**Key Technology:** Vibration Dampening Layer

On Piste

Phoenix

Find  
Your  
Edge.

## High Performance

NEW



**Phoenix R14 Pro  
+ TPX12 Demo W**  
Cod. 8A6360AM-001  
Black / Pink

**Lengths:** 145-150-155-160-165-170-175 cm  
**Radius:** 11-11.5-12.5-14-14.5-15-15.5 m  
**Sidecut:** 121-69-102 mm (165)  
**Weight (Flat):** 1640 g  
**Construction:** W.S.D. Sandwich Full Sidewall 2Ti + Trueblend Piste + Active Armor  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** Active Armor

NEW



**Phoenix SL  
+ TP11 Light Demo W**  
Cod. 8A6362CE-001  
Black

**Lengths:** 148-154-160-166-172 cm  
**Radius:** 11-12-13-13.5-14.5 m  
**Sidecut:** 121.5-70-104 mm (172)  
**Weight (Flat):** 1740 g  
**Construction:** W.S.D. TI Sandwich Full Sidewall  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** Full Camber  
**Plate:** FDT Race Plate Pro B  
**Key Technology:** TI Reinforcement

NEW



**Phoenix 72 TI  
+ TP11 Light Demo W**  
Cod. 8A6366CE-001  
Purple

**Lengths:** 144-150-156-162-168 cm  
**Radius:** 10-11-12-13-14 m  
**Sidecut:** 119-72-101 mm (162)  
**Weight (Flat):** 1450 g  
**Construction:** W.S.D. TI Sandwich Partial Sidewall  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** 3 mm Rocker  
**Plate:** FDT HP Short Plate  
**Key Technology:** TI Reinforcement

NEW



**Phoenix 80 TI  
+ TP11 Light Demo W**  
Cod. 8A6364CE-001  
Green

**Lengths:** 150-155-160-165-170 cm  
**Radius:** 11-11.5-12-13-14 m  
**Sidecut:** 129-80-110 mm (165)  
**Weight (Flat):** 1610 g  
**Construction:** W.S.D. TI Sandwich Partial Sidewall  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** 3 mm Rocker  
**Plate:** FDT HP Short Plate  
**Key Technology:** TI Reinforcement

NEW



**Phoenix 72 CA  
+ TPC11 Demo W**  
Cod. 8A6367BE-001  
Sand

**Lengths:** 144-150-156-162-168 cm  
**Radius:** 10-11-12-13-14 m  
**Sidecut:** 119-72-101 mm (162)  
**Weight (Flat):** 1460 g  
**Construction:** W.S.D. Sandwich Partial Sidewall  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** 3 mm Rocker  
**Plate:** FDT Free Short Plate  
**Key Technology:** CA Reinforcement

NEW



**Phoenix 76 CA  
+ TPC11 Demo W**  
Cod. 8A6365BE-001  
Grey

**Lengths:** 145-150-155-160-165-170 cm  
**Radius:** 11-11.5-12-12.5-13-14 m  
**Sidecut:** 125-76-105 mm (165)  
**Weight (Flat):** 1500 g  
**Construction:** W.S.D. Sandwich Partial Sidewall  
**Core + Key Materials:** Trueblend Piste Woodcore  
**Rocker:** 3 mm Rocker  
**Plate:** FDT Free Short Plate  
**Key Technology:** CA Reinforcement

## All Mountain



Anomaly

No Ordinary Ski.

## All Mountain

NEW

**Anomaly 84  
(Flat)**

**Cod.** 8A637600-001  
Black / Grey

**Lengths:** 164-170-176-182-188 cm

**Radius:** 13-14-15.5-17-18 m

**Sidecut:** 124.5-84-107.5 mm (182)

**Weight (Flat):** 2060 g

**Construction:** 2Ti + FluxForm All Mountain + Trueblend All Mountain

**Core + Key Materials:** Trueblend All Mountain Woodcore

**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail

**Suggested Binding:** Griffon X 90

**Key Technology:** FluxForm All Mountain

NEW

**Anomaly 88  
(Flat)**

**Cod.** 8A637400-001  
Blue / Gold

**Lengths:** 164-170-176-182-188 cm

**Radius:** 14-15-16.5-18-19 m

**Sidecut:** 127.5-88-109.5 mm (182)

**Weight (Flat):** 2100 g

**Construction:** 2Ti + FluxForm All Mountain + Trueblend All Mountain

**Core + Key Materials:** Trueblend All Mountain Woodcore

**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail

**Suggested Binding:** Griffon X 90

**Key Technology:** FluxForm All Mountain

NEW

**Anomaly 94  
(Flat)**

**Cod.** 8A637200-001  
Green / Gold

**Lengths:** 164-170-176-182-188 cm

**Radius:** 14.5-15.5-17-18.5-19.5 m

**Sidecut:** 132.5-94-114.5 mm (182)

**Weight (Flat):** 2150 g

**Construction:** 2Ti + FluxForm All Mountain + Trueblend All Mountain

**Core + Key Materials:** Trueblend All Mountain Woodcore

**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail

**Suggested Binding:** Griffon X 105

**Key Technology:** FluxForm All Mountain

NEW

**Anomaly 102  
(Flat)**

**Cod.** 8A637000-001  
Purple / White

**Lengths:** 176-182-188-192 cm

**Radius:** 18-19.5-21-22.5 m

**Sidecut:** 136-102-123 mm (182)

**Weight (Flat):** 2190 g

**Construction:** 2Ti + FluxForm All Mountain + Trueblend Free

**Core + Key Materials:** Trueblend Free Woodcore

**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail

**Suggested Binding:** Griffon X 105

**Key Technology:** FluxForm All Mountain

All Mountain


  
WOMEN 2 WOMEN


Black Pearl

Be A Boss.

## All Mountain Women to Women

NEW



  
FLUXFORM


  
TRUE BLEND  
WOODCORE


  
HANDMADE  
IN AUSTRIA
**Black Pearl 94  
(Flat)**
**Cod.** 8A637800-001  
Purple
**Lengths:** 152-158-164-170-176 cm**Radius:** 12.5-13.5-14.5-15.5-17 m**Sidecut:** 132.5-94-114.5 mm (170)**Weight (Flat):** 1840 g**Construction:** W.S.D. FluxForm All Mountain + Trueblend All Mountain**Core + Key Materials:** Trueblend All Mountain Woodcore**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail**Suggested Binding:** Squire 11 - 100**Key Technology:** W.S.D. FluxForm All Mountain

NEW



  
FLUXFORM


  
TRUE BLEND  
WOODCORE


  
HANDMADE  
IN AUSTRIA
**Black Pearl 88  
(Flat)**
**Cod.** 8A638000-001  
Blue
**Lengths:** 146-152-158-164-170-176 cm**Radius:** 11-12-13-14-15-16.5 m**Sidecut:** 127.5-88-109.5 mm (170)**Weight (Flat):** 1770 g**Construction:** W.S.D. FluxForm All Mountain + Trueblend All Mountain**Core + Key Materials:** Trueblend All Mountain Woodcore**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail**Suggested Binding:** Squire 11 - 90**Key Technology:** W.S.D. FluxForm All Mountain

NEW



  
FLUXFORM


  
TRUE BLEND  
WOODCORE


  
HANDMADE  
IN AUSTRIA
**Black Pearl 84  
(Flat)**
**Cod.** 8A638200-001  
Green
**Lengths:** 146-152-158-164-170-176 cm**Radius:** 10-11-12-13-14-15.5 m**Sidecut:** 124.5-84-107.5 mm (170)**Weight (Flat):** 1730 g**Construction:** W.S.D. FluxForm All Mountain + Trueblend All Mountain**Core + Key Materials:** Trueblend All Mountain Woodcore**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail**Suggested Binding:** Squire 11 - 90**Key Technology:** W.S.D. FluxForm All Mountain

## Freeride



## Rustler

# Press Send.

## Freeride

**Rustler 11  
(Flat)**

**Cod.** 8A536000-001  
Black / Orange

**Lengths:** 168-174-180-186-192 cm

**Radius:** 16-17.5-19-20.5-22 m

**Sidecut:** 142-114-132 mm (186)

**Weight (Flat):** 2100 g

**Construction:** FluxForm + Trueblend Free

**Core + Key Materials:** Trueblend Free Woodcore

**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail

**Suggested Binding:** Marker Royal Family: 110 mm Brake

**Key Technology:** FluxForm

**Rustler 10  
(Flat)**

**Cod.** 8A536100-001  
Blue

**Lengths:** 162-168-174-180-186-192 cm

**Radius:** 14.5-15.5-16.5-17.5-18.5-19.5 m

**Sidecut:** 134-102-123 mm (180)

**Weight (Flat):** 1880 g

**Construction:** FluxForm + Trueblend Free

**Core + Key Materials:** Trueblend Free Woodcore

**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail

**Suggested Binding:** Marker Royal Family: 110 mm Brake

**Key Technology:** FluxForm

**Rustler 9  
(Flat)**

**Cod.** 8A536200-001  
Sand / Green

**Lengths:** 162-168-174-180-186 cm

**Radius:** 14-15-16-17-18 m

**Sidecut:** 131.5-96-121 mm (180)

**Weight (Flat):** 1880 g

**Construction:** FluxForm + Trueblend Free

**Core + Key Materials:** Trueblend Free Woodcore

**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail

**Suggested Binding:** Marker Royal Family: 100 mm Brake

**Key Technology:** FluxForm

**Rustler Team  
(Flat)**

**Cod.** 8A536400-001  
Black / Orange

**Lengths:** 132-140-148-156-164 cm

**Radius:** 10-11.5-12.5-13-14 m

**Sidecut:** 118.5-90-108.5 mm (148)

**Weight (Flat):** 1230 g

**Construction:** Dynamic Release Technology

**Core + Key Materials:** Full Woodcore Rocker: Rockered Tip, Camber Under Foot, Rockered Tail

**Suggested Binding:** Marker Royal Family: 100 mm Brake

**Key Technology:** FluxForm

Freeride

W2  
WOMEN 2 WOMEN

Sheeva

Find Your Pack.

## Freeride Women to Women

**Sheeva 11  
(Flat)**Cod. 8A536500-001  
Green / Gold

**Lengths:** 168-174-180 cm  
**Radius:** 16-17.5-19 m  
**Sidecut:** 140-112-130 mm (174)  
**Weight (Flat):** 1820 g  
**Construction:** W.S.D. FluxForm + Trueblend Free  
**Core + Key Materials:** Trueblend Free Woodcore  
**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail  
**Suggested Binding:** Marker Royal Family: 110 mm Brake  
**Key Technology:** W.S.D. FluxForm

**Sheeva 10  
(Flat)**Cod. 8A536600-001  
Purple / Pink

**Lengths:** 156-162-168-174-180 cm  
**Radius:** 13.5-14.5-15.5-16.5-17.5 m  
**Sidecut:** 133.5-102-122.5 mm (174)  
**Weight (Flat):** 1800 g  
**Construction:** W.S.D. FluxForm + Trueblend Free  
**Core + Key Materials:** Trueblend Free Woodcore  
**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail  
**Suggested Binding:** Marker Royal Family: 110 mm Brake  
**Key Technology:** W.S.D. FluxForm

**Sheeva 9  
(Flat)**Cod. 8A536700-001  
Blue / Teal

**Lengths:** 150-156-162-168-174 cm  
**Radius:** 12-13-14-15-16 m  
**Sidecut:** 129-96-118.5 mm (174)  
**Weight (Flat):** 1780 g  
**Construction:** W.S.D. FluxForm + Trueblend Free  
**Core + Key Materials:** Trueblend Free Woodcore  
**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail  
**Suggested Binding:** Marker Royal Family: 100 mm Brake  
**Key Technology:** W.S.D. FluxForm

**Sheeva Team  
(Flat)**Cod. 8A536900-001  
Purple / Pink

**Lengths:** 132-140-148-156-164 cm  
**Radius:** 10-11.5-12.5-13-14 m  
**Sidecut:** 118.5-90-108.5 mm (148)  
**Weight (Flat):** 1230 g  
**Construction:** Dynamic Release Technology  
**Core + Key Materials:** Full Woodcore  
**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail  
**Suggested Binding:** Marker Royal Family: 100 mm Brake

Freeski

# CANVAS

x  
*Penelope Misa*

## Create. Repeat.

The Path to “new” begins with “never before.” We are not afraid to buck trends, use our imagination and do things that have not been done before. With creativity, positive energy and teamwork, we can tackle any challenge.

Canvas is a “never before” for Blizzard skis. It will be the most imaginative project in our history and do things we have not done before.



## The artist

Penelope Misa is a Japanese-Australian artist and devoted skier, creating from her studio nestled in the Wasatch National Forest near Salt Lake City, Utah. Life in the mountains shapes her work, where movement, snow, and creativity weave together in constant dialogue. For the Canvas project, Misa turned to the monotype technique — a process that, like skiing, leaves a single, unrepeatable trace. Her collaboration celebrates skiing as spontaneous freedom, each print becoming an expression of motion and joy — a dance between creating and repeating.

*Penelope Misa*




## The athletes

From the beginning, Blizzard-Tecnica Freeride athletes have led the charge on the Canvas Project. While we put a great deal of faith in our engineers and product team, athlete feedback helped push this project to the limits, to ensure we were creating something authentic and original.

## Freeski

NEW




### Canvas 118 (Flat)

Cod. 8A639200-001  
White

**Lengths:** 172-180-188 cm  
**Radius:** 17-19-20 m  
**Sidecut:** 145-118-134 mm (180)  
**Weight (Flat):** 1920 g  
**Construction:** Light Sandwich Full Sidewall  
**Core + Key Materials:** Poplar + Paulownia Woodcore  
**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail  
**Suggested Binding:** Marker Royal Family: 110 mm Brake

NEW



### Canvas 108 (Flat)

Cod. 8A639400-001  
White

**Lengths:** 168-174-180-186-192 cm  
**Radius:** 16-17-18-19-20 m  
**Sidecut:** 139-108-127 mm (180)  
**Weight (Flat):** 1890 g  
**Construction:** Light Sandwich Full Sidewall  
**Core + Key Materials:** Poplar + Paulownia Woodcore  
**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail  
**Suggested Binding:** Marker Royal Family: 110 mm Brake

NEW



### Canvas 100 (Flat)

Cod. 8A639600-001  
White

**Lengths:** 162-168-174-180-186 cm  
**Radius:** 14.5-15.5-16.5-17.5-18.5 m  
**Sidecut:** 132-100-120 mm (180)  
**Weight (Flat):** 1800 g  
**Construction:** Light Sandwich Full Sidewall  
**Core + Key Materials:** Poplar + Paulownia Woodcore  
**Rocker:** Rockered Tip, Camber Under Foot, Rockered Tail  
**Suggested Binding:** Marker Royal Family: 100 mm Brake



# Touring



## Zero G

We Won't  
Weight up.

# Touring

NEW



### Zero G 105 (Flat)

**Cod.** 8A537000-001  
Blue

**Lengths:** 164-172-180-188 cm  
**Radius:** 18-20-23-24 m  
**Sidecut:** 133-105-119 mm (180)  
**Weight (Flat):** 1540 g  
**Construction:** Carbon Drive 3.0  
**Core + Key Materials:** Paulownia  
**Rocker:** Early Rise Tip and Tail, Camber Under Foot  
**Suggested Binding:** Pinteck Touring  
**Key Technology:** Carbon Drive 3.0



### Zero G 96 (Flat)

**Cod.** 8A537100-001  
Brick

**Lengths:** 164-171-178-185 cm  
**Radius:** 18-19-20-22 m  
**Sidecut:** 127-96-111 mm (178)  
**Weight (Flat):** 1310 g  
**Construction:** Trueblend RPET Tour + Ash Core Insert  
**Core + Key Materials:** Trueblend RPET Tour  
**Rocker:** Early Rise Tip and Tail, Camber Under Foot  
**Suggested Binding:** Pinteck Touring  
**Key Technology:** 5 Radius Sidecut



### Zero G 88 (Flat)

**Cod.** 8A537200-001  
Green

**Lengths:** 157-164-171-178 cm  
**Radius:** 17-18-19-20 m  
**Sidecut:** 118-88-102 mm (171)  
**Weight (Flat):** 1130 g  
**Construction:** Trueblend RPET Tour + Ash Core Insert  
**Core + Key Materials:** Trueblend RPET Tour  
**Rocker:** Early Rise Tip and Tail, Camber Under Foot  
**Suggested Binding:** Pinteck Touring  
**Key Technology:** 5 Radius Sidecut



### Zero G Race (Flat)

**Cod.** 8A640600-001  
Orange

**Lengths:** 161 cm  
**Radius:** 24 m  
**Sidecut:** 98-65-78 mm (161)  
**Weight (Flat):** 720 g  
**Construction:** Zero G Tour Construction  
**Core + Key Materials:** Paulownia  
**Suggested Binding:** Crest 10 / Alpinist 10  
**Key Technology:** Carbon Drive LT

# Touring Women to Women



## Zero G 96 W (Flat)

**Cod.** 8A537500-001  
Sage

**Lengths:** 157-164-171-178 cm  
**Radius:** 17-18-19-20 m  
**Sidecut:** 126-96-110 mm (171)  
**Weight (Flat):** 1200 g  
**Construction:** Trueblend RPET Tour + Ash Core Insert  
**Core + Key Materials:** Trueblend Tour 2.0  
**Rocker:** Early Rise Tip and Tail, Camber Under Foot  
**Suggested Binding:** Pinteck Touring  
**Key Technology:** 5 Radius Sidecut



## Zero G 88 W (Flat)

**Cod.** 8A537600-001  
Cold ice

**Lengths:** 150-157-164-171 cm  
**Radius:** 16-17-18-19 m  
**Sidecut:** 117-88-101 mm (164)  
**Weight (Flat):** 1080 g  
**Construction:** Trueblend RPET Tour + Ash Core Insert  
**Core + Key Materials:** Trueblend Tour 2.0  
**Rocker:** Early Rise Tip and Tail, Camber Under Foot  
**Suggested Binding:** Pinteck Touring  
**Key Technology:** 5 Radius Sidecut



# Junior

NEW



## Firebird JR (110-150) + FDT JR 7

**Cod.** 8A6420ME-001  
Orange

**Lengths:** 110-120-130-140-150 cm  
**Radius:** 7-8-10-12-13 m  
**Sidecut:** 106-67-95 mm (130)  
**Construction:** JR Composite Cap  
**Plate:** FDT Junior RTL Plate S(110)/L(120-150)

## Firebird JR (100-140) + FDT JR 4.5

**Cod.** 8A6418MF-001  
Orange

**Lengths:** 100-110-120-130-140 cm  
**Radius:** 6-7-8-10-12 m  
**Sidecut:** 104-67-93 mm (110)  
**Construction:** JR Composite Cap  
**Plate:** FDT Junior RTL Plate S(70-110)/L(120-140)

## Firebird JR (70-90) + FDT JR 4.5

**Cod.** 8A6416MF-001  
Orange

**Lengths:** 70-80-90 cm  
**Radius:** 3-4-5 m  
**Sidecut:** 102-67-89 mm (70-90)  
**Construction:** JR Composite Cap  
**Plate:** FDT Junior RTL Plate S

NEW



## Anomaly JR (110-150) + FDT JR 7

**Cod.** 8A6414ME-001  
Blue / Orange

**Lengths:** 110-120-130-140-150 cm  
**Radius:** 7-8-10-12-13 m  
**Sidecut:** 106-67-95 mm (130)  
**Construction:** JR Composite Cap  
**Plate:** FDT Junior RTL Plate S(110)/L(120-150)

## Anomaly JR (100-140) + FDT JR 4.5

**Cod.** 8A6412MF-001  
Blue / Orange

**Lengths:** 100-110-120-130-140 cm  
**Radius:** 6-7-8-10-12 m  
**Sidecut:** 104-67-93 mm (110)  
**Construction:** JR Composite Cap  
**Plate:** FDT Junior RTL Plate S(70-110)/L(120-140)

## Anomaly JR (70-90) + FDT JR 4.5

**Cod.** 8A6410MF-001  
Blue / Orange

**Lengths:** 70-80-90 cm  
**Radius:** 3-4-5 m  
**Sidecut:** 102-67-89 mm (70-90)  
**Construction:** JR Composite Cap  
**Plate:** FDT Junior RTL Plate S

NEW



## Canvas JR + FDT JR 7 WB

**Cod.** 8A6422MG-001  
White

**Lengths:** 108-118-128-138-148 cm  
**Radius:** 8-9-11-12-14 m  
**Sidecut:** 105-74-96 mm (128)  
**Construction:** JR Composite Cap  
**Plate:** FDT Junior RTL Plate S(108-128)/L(138-148)

## Canvas JR + FDT JR 4.5 WB

**Cod.** 8A6424MH-001  
White

**Lengths:** 108-118-128-138-148 cm  
**Radius:** 8-9-11-12-14 m  
**Sidecut:** 105-74-96 mm (128)  
**Construction:** JR Composite Cap  
**Plate:** FDT Junior RTL Plate S(108-128)/L(138-148)

# Rental

NEW



**Anomaly 84 R  
+ TPC10 Demo**  
Cod. 8A6430BH-001  
Petrol

**Lengths:** 158-164-170-176-182-188 cm  
**Radius:** 12-13-14-15.5-17-18 m  
**Sidecut:** 124.5-84-107.5 mm (182)  
**Weight (Flat):** 1870 g  
**Construction:** Sandwich Full Sidewall Construction  
**Rocker:** Rocker-Camber-Rocker  
**Plate:** FDT Free Demo Plate

NEW



**Anomaly 88 D  
+ TCX11 Demo - 90**  
Cod. 8A6432II-001  
Blue / Gold

**Lengths:** 164-170-176-182-188 cm  
**Radius:** 14-15-16.5-18-19 m  
**Sidecut:** 127.5-88-109.5 mm (182)  
**Weight (Flat):** 2100 g  
**Construction:** 2Ti + FluxForm All Mountain + Trueblend All Mountain  
**Core + Key Materials:** Trueblend All Mountain Woodcore  
**Rocker:** Rocker-Camber-Rocker  
**Plate:** FDT Free Demo Plate  
**Key Technology:** FluxForm All Mountain

NEW



**Black Pearl 84 R  
+ TPC10 Demo**  
Cod. 8A6434BH-001  
Blue

**Lengths:** 146-152-158-164-170-176 cm  
**Radius:** 10-11-12-13-14-15.5 m  
**Sidecut:** 124.5-84-107.5 mm (170)  
**Weight (Flat):** 1710 g  
**Construction:** Hexflow + Sandwich Construction  
**Rocker:** Rocker-Camber-Rocker  
**Plate:** FDT Free Short Plate

NEW



**Black Pearl 88 D  
+ TCX11 Demo - 90**  
Cod. 8A6436II-001  
Blue

**Lengths:** 146-152-158-164-170-176 cm  
**Radius:** 11-12-13-14-15-16.5 m  
**Sidecut:** 127.5-88-109.5 mm (170)  
**Weight (Flat):** 1770 g  
**Construction:** W.S.D. FluxForm All Mountain + Trueblend All Mountain  
**Core + Key Materials:** Trueblend All Mountain Woodcore  
**Rocker:** Rocker-Camber-Rocker  
**Plate:** FDT Free Short Plate  
**Key Technology:** W.S.D. FluxForm All Mountain



**Rustler 9 D  
+ TCX11 Demo - 100**  
Cod. 8A5363IL-001  
Sand / Green

**Lengths:** 162-168-174-180-186 cm  
**Radius:** 14-15-16-17-18 m  
**Sidecut:** 131.5-96-121 mm (180)  
**Weight (Flat):** 1860 g  
**Construction:** FluxForm + Trueblend Free  
**Core + Key Materials:** Trueblend Free Woodcore  
**Rocker:** Rocker-Camber-Rocker  
**Plate:** FDT Free Demo Plate  
**Key Technology:** FluxForm

NEW



**Stormbird 7.7  
+ TPC10 Demo**  
Cod. 8A6439BH-001  
Sand / Black

**Lengths:** 139-146-153-160-167-174 cm  
**Radius:** 10-11-12-13-14-15 m  
**Sidecut:** 123-77-105 mm (167)  
**Weight (Flat):** 1570 g  
**Construction:** RTL Tech Construction  
**Rocker:** 6mm Rocker  
**Plate:** FDT Free Demo Plate

NEW



**Stormbird 7.2  
+ TPC10 Demo**  
Cod. 8A6437BH-001  
Grey / White

**Lengths:** 139-146-153-160-167-174 cm  
**Radius:** 10-11-12-13-14-15 m  
**Sidecut:** 121-72-104 mm (167)  
**Weight (Flat):** 1590 g  
**Construction:** RTL Tech Construction  
**Rocker:** 6mm Rocker  
**Plate:** FDT Free Demo Plate

NEW



**Stormbird 7.2  
+ TPC10 Demo**  
Cod. 8A6435BH-001  
Black / Green

**Lengths:** 139-146-153-160-167-174 cm  
**Radius:** 10-11-12-13-14-15 m  
**Sidecut:** 121-72-104 mm (167)  
**Weight (Flat):** 1590 g  
**Construction:** RTL Tech Construction  
**Rocker:** 6mm Rocker  
**Plate:** FDT Free Demo Plate

NEW



**Phoenix 7.2**  
+ TPC10 Demo W  
Cod. 8A6442BL-001  
Metal Grey

**Lengths:** 139-146-153-160-167 cm  
**Radius:** 10-11-12-13-14 m  
**Sidecut:** 119-72-102 mm (160)  
**Weight (Flat):** 1400 g  
**Construction:** RTL Tech Construction  
**Rocker:** 6mm Rocker  
**Plate:** FDT Free Short Plate

NEW



**Phoenix 7.7**  
+ TPC10 Demo W  
Cod. 8A6440BL-001  
Ice blue

**Lengths:** 139-146-153-160-167 cm  
**Radius:** 10-11-12-13-14 m  
**Sidecut:** 121-77-103 mm (160)  
**Weight (Flat):** 1400 g  
**Construction:** RTL Tech Construction  
**Rocker:** 6mm Rocker  
**Plate:** FDT Free Short Plate



## Bindings

POWERED BY  
**MARKER**



**Comp 30**  
Cod. 8C630000-001  
Din setting: 15.0 - 30.0



**Comp 10**  
Cod. 8C656000-001  
Din setting: 3.0 - 10.0



**Marker Griffon MN Demo - 90 mm**  
Cod. 8C664000-001  
Din setting: 4.0 - 13.0




**Marker Squire 11 TCX Demo - 90 mm**  
Cod. 8C106100-001  
Din setting: 3.0 - 11.0




**Comp 20**  
Cod. 8C640000-001  
Din setting: 11.0 - 20.0



**Comp Junior 8**  
Cod. 8C657000-001  
Din setting: 2.0 - 8.0




**Marker Griffon MN Demo - 100 mm**  
Cod. 8C665000-001  
Din setting: 4.0 - 13.0



**Marker Squire 11 TCX Demo - 100 mm**  
Cod. 8C422500-001  
Din setting: 3.0 - 11.0



**Comp 16 GW**  
Cod. 8C651000-001  
Din setting: 6.0 - 16.0



**Comp 16 RD**  
Cod. 8C652100-001  
Din setting: 6.0 - 16.0



**Marker Griffon MN TCX Demo - 90 mm**  
Cod. 8C667000-001  
Din setting: 4.0 - 13.0



**Duke PT 16 - 125 mm**  
Cod. 8C423000-001  
Din setting: 6.0 - 16.0




**Comp 12**  
Cod. 8C653100-001  
Din setting: 4.0 - 12.0



**Marker Jester X M-Werks - 120 mm**  
Cod. 8C660000-001  
Din setting: 6.0 - 16.0



**Marker Griffon MN TCX Demo - 100 mm**  
Cod. 8C668000-001  
Din setting: 4.0 - 13.0



**Duke PT 13 - 125 mm**  
Cod. 8C423200-001  
Din setting: 4.0 - 12.0



**Comp 12 GW**  
Cod. 8C654100-001  
Din setting: 4.0 - 12.0




**Marker Griffon X 13 - 90 mm**  
Cod. 8C661000-001  
Din setting: 4.0 - 13.0




**Marker Griffon MN TCX Demo - 110 mm**  
Cod. 8C669000-001  
Din setting: 4.0 - 13.0




**Duke PT 13 - 100 mm**  
Cod. 8C423300-001  
Din setting: 4.0 - 12.0




**Comp 10**  
Cod. 8C653100-001  
Din setting: 4.0 - 12.0



**Marker Griffon X 13 - 105 mm**  
Cod. 8C662000-001  
Din setting: 4.0 - 13.0



**Marker Squire 11 - 90 mm**  
Cod. 8C105400-001  
Din setting: 3.0 - 11.0




**Marker Alpinist 12 - 90 mm**  
Cod. 8C215100-001  
Din setting: 6.0 - 12.0




**Comp 12**  
Cod. 8C652100-001  
Din setting: 4.0 - 12.0




**Marker Griffon X 13 - 120 mm**  
Cod. 8C663000-001  
Din setting: 4.0 - 13.0



**Marker Squire 11 - 100 mm**  
Cod. 8C105600-001  
Din setting: 3.0 - 11.0



**Marker Alpinist 10 - 90 mm**  
Cod. 8C215300-001  
Din setting: 4.0 - 10.0




**Comp 10 TCX**  
Cod. 8C655100-001  
Din setting: 3.0 - 10.0



**Marker Griffon X 13 - 90 mm**  
Cod. 8C661000-001  
Din setting: 4.0 - 13.0



**Marker Squire 11 - 110 mm**  
Cod. 8C422400-001  
Din setting: 3.0 - 11.0



**Marker Alpinist 8 - 90 mm**  
Cod. 8C215500-001  
Din setting: 3.0 - 8.0



**Marker Squire 10 - 100 mm + Screw Kit**  
Cod. 8C105700-001  
Din setting: 3.0 - 10.0



**Marker Alpinist 12 Long Travel (w/o Brake)**  
Cod. 8C215600-001  
Din setting: 6.0 - 12.0



**Marker Alpinist 10 Long Travel (w/o Brake)**  
Cod. 8C215700-001  
Din setting: 6.0 - 10.0

POWERED BY  
**MARKER**



**Marker Alpinist Demo 10 - 105 mm**

Cod. 8C215800-001  
Din setting: 3.0 - 10.0

**Marker Alpinist Demo 10 - 90 mm**

Cod. 8C215900-001  
Din setting: 3.0 - 10.0

**Marker Alpinist Demo 8 - 90 mm**

Cod. 8C216000-001  
Din setting: 3.0 - 8.0



**Marker King Pin 10 - 100 mm**

Cod. 8C216100-001  
Din setting: 5.0 - 10.0

**Marker King Pin 13 Demo - 125 mm**

Cod. 8C216200-001  
Din setting: 6.0 - 13.0

**Marker King Pin 10 Demo - 100 mm**

Cod. 8C216300-001  
Din setting: 5.0 - 10.0

**Marker King Pin 13 - 100 mm**

Cod. 8C216400-001  
Din setting: 6.0 - 13.0

**Marker King Pin 13 - 125 mm**

Cod. 8C216500-001  
Din setting: 6.0 - 13.0



**Marker King Pin M-Werks 12 - 100 mm**

Cod. 8C216600-001  
Din setting: 6.0 - 12.0

**Marker King Pin M-Werks 12 - 125 mm**

Cod. 8C216700-001  
Din setting: 6.0 - 12.0



**Blizzard Crest 10 LT - 86 mm Brake**

Cod. 8C216900-001  
Din setting: 5.0 - 10.0

**Blizzard Crest 10 LT - 97 mm Brake**

Cod. 8C217500-001  
Din setting: 5.0 - 10.0

**Blizzard Crest 10 LT - 108 mm Brake**

Cod. 8C217600-001  
Din setting: 5.0 - 10.0



**Blizzard Raider 12 - 97 mm Brake**

Cod. 8C217000-001  
Din setting: 5.0 - 12.0

**Blizzard Raider 12 - 108 mm Brake**

Cod. 8C217100-001  
Din setting: 5.0 - 12.0

**Blizzard Raider 12 - 120 mm Brake**

Cod. 8C217200-001  
Din setting: 5.0 - 12.0

**Blizzard Raider 13 Evo - 97 mm**

Cod. 8C320600-001  
Din setting: 5.0 - 13.0

**Blizzard Raider 13 Evo - 108 mm**

Cod. 8C320700-001  
Din setting: 5.0 - 13.0

**Blizzard Raider 13 Evo - 120 mm**

Cod. 8C320800-001  
Din setting: 5.0 - 13.0



## Brakes



**Marker Alpinist Brake - 90 mm**

Cod. 8B300200-001

**Marker Alpinist Brake - 105 mm**

Cod. 8B300300-001

**Marker Alpinist Brake - 115 mm**

Cod. 8B300400-001



**Marker Alpinist Long Travel Brake - 90 mm**

Cod. 8B300500-001

**Marker Alpinist Long Travel Brake - 105 mm**

Cod. 8B300600-001

**Brake Royal - 136 mm**

Cod. 8B200600-001

**Brake Royal Tour - 110 mm**

Cod. 83924900-001

**Brake Universal Royal Tour - 90 mm**

Cod. 83925000-001

**Brake King Pin 75 - 100 mm**

Cod. 8B000400-001

**Brake King Pin 100 - 125 mm**

Cod. 8B000500-001

POWERED BY

**ATKBINDINGS**

**Blizzard Brake - 86 mm**

Cod. 8B212700-001

**Blizzard Brake - 97 mm**

Cod. 8B212800-001

**Blizzard Brake - 108 mm**

Cod. 8B212900-001

**Blizzard Brake - 120 mm**

Cod. 8B213000-001

**Blizzard Evo Brake - 86 mm**

Cod. 8B400100-001

**Blizzard Evo Brake - 97 mm**

Cod. 8B400200-001

**Blizzard Evo Brake - 108 mm**

Cod. 8B400300-001

**Blizzard Evo Brake - 120 mm**

Cod. 8B400400-001

**Blizzard Freeride Spacer For R12**

Cod. 8B213600-001

**Blizzard Freeride Spacer For R13 Evo**

Cod. 8B300100-001

## Skins & Crampons



**Skin Backcountry 11 - Kohla**

Cod. 8B512200-001

**Skin Backcountry 10 - Kohla**

Cod. 8B512300-001

**Skin Backcountry 9 - Kohla**

Cod. 8B512400-001



**Skin Zero G 80 S (150-164)**

Cod. 8B210200-001

**Skin Zero G 80 L (171-178)**

Cod. 8B210100-001

**Skin Zero G 88 S (150-164)**

Cod. 8B511100-001

**Skin Zero G 88 L (171-178)**

Cod. 8B511000-001

**Skin Zero G 96 S (157-171)**

Cod. 8B511300-001

**Skin Zero G 96 L (178-185)**

Cod. 8B511200-001

**Skin Zero G 105 S (164-172)**

Cod. 8B001800-001

**Skin Zero G 105 L (180-188)**

Cod. 8B002000-001

**Skin Up Till - 125 mm**

Cod. 8B002200-001

**Skin Zero G 88 - Kohla**

Cod. 8B512600-001

**Skin Zero G 96 - Kohla**

Cod. 8B512500-001

**Skin Zero G 105 - Kohla**

Cod. 8B211000-001

POWERED BY  
**MARKER**



**Crampon Alpinist KP - 90 mm**

Cod. 8B201000-001

**Crampon Alpinist KP - 105 mm**

Cod. 8B201100-001

**Crampon Alpinist KP - 125 mm**

Cod. 8B201200-001

**Crampon Duke PT - 105 mm**

Cod. 8B201300-001

**Crampon Duke PT - 125 mm**

Cod. 8B201400-001

POWERED BY

**ATKBINDINGS**

**Blizzard Crampon - 86 mm**

Cod. 8B213100-001

**Blizzard Crampon - 97 mm**

Cod. 8B213200-001

**Blizzard Crampon - 108 mm**

Cod. 8B213300-001

**Blizzard Crampon - 120 mm**

Cod. 8B213400-001

## Racing Tools

POWERED BY  
**MARKER**



**Mounting Tool - WC Plate**

Cod. 8B411100-001

**Mounting Tool - Griffon**

Cod. 8B411000-001

**Race Xcell Heel Demo Plate**

Cod. 8B201500-001

**Racing Tuning Kit TCX-X Comp**

Cod. 8B201600-001

**Racing Tuning Kit TCX-X Comp**

Cod. 8B410100-001

**Junior Race Lifter (2 pcs)**

Cod. 8B201700-001

## Extra Tools



**Din Adapter At Boot (2 pcs)**

Cod. 8B200700-001

**AFD Platform King Pin**

Cod. 8B200800-001

**Touring Leash Pintech**

Cod. 8B200900-001



**Tecnica Group S.P.A.**  
Via Fante d'Italia 56  
31040 Giavera del Montello (TV) Italy  
**Blizzard-Tecnica.com**

Date of print:  
November 2025