



# BOOT DOC HOTRONIC



**WINTER  
SUMMER  
2025 / 26**





**TUNE  
YOUR  
FEET**

# BOOTDOC

---

# HOTRONIC

**06** INSOLES

**28** POWER FIT SOCKS

**38** FOAM LINERS

**40** HEATING SYSTEMS

**52** DRYING SYSTEMS

**56** BAGS

**58** ANALYSIS & FITTING

**80** RETAIL & PROMOTION

---

**83** SIZE CHARTS

---

Discover now:  
[bootdoc-hotronic.com](http://bootdoc-hotronic.com)



# 3 EASY STEPS TO THE PERFECT FIT.

Here's how you can find the perfect fit with the ASC concept for every customer quickly and easily.

## ANALYZE

There are six different analysis devices to choose from that determine the foot type, length, width and other data concerning customer's feet. From the three-dimensional representation of both feet using the ER\_WIN 3D FOOT SCAN to the quick and easy-to-use Feet View, we offer the following devices for foot type analysis: ER\_WIN 3D FOOT SCAN, 3D SCANNER VANDRA, PODO EASY, FEET VIEW, FMD and BRANNOCK.



## SELECT

Once the foot type has been determined, it is easy to find the appropriate insole and suitable Power Fit socks. Choose the product that is going to meet the customer's requirements for their sport or activity, whether it's skiing, snowboarding, hiking, running or working, and so on.



## CUSTOMIZE

Regardless of whether they're Step-In, Fusion or 3D Custom, all insoles can be custom molded and fitted precisely to the foot of a customer through heating.

**The following devices are available for customizing insoles:**

- Heating
  - 3D HEATER
  - SPEED HEAT DIGITAL 3L
  - HEAT GUN
- Fitting
  - AUTOFIT BT
  - VAC IV ELECTRIC
  - PILLOWS 13



# 3-ARCH CONCEPT

You can cover all activities choosing from five models and three different constructions, regardless of various foot types. Follow the simple foot analysis steps and select an insole from the five models in LOW, MID or HIGH Arch. Integrate the insole into the footwear by trimming and you're finished! Individual fitting can be offered as an extra service that ensures customers get a fit that is 100 % perfect. The wide range of insoles guarantees the right insole for every foot type.

## LOW ARCH

The arch is incapable of cushioning, thus reducing the spring in the customers step or running motion. Displacement of the bones involved (e.g., buckling of the ankle bone, heel bone) can cause strain on tendons and ligaments. This leads to static imbalance and pain. The LOW Arch insole helps to prevent overpronation.



## MID ARCH

The layout of the bones, tendons and ligaments reflects the theoretical norm. The pressure below the foot is distributed over the 3 main support points: heel (20 %), big toe base joint (17 %), small toe base joint (13 %). A MID Arch insole offers optimum pressure distribution for this type of foot, while stabilizing and cushioning.



## HIGH ARCH

The long-arch is too high, thus reducing the contact surface. High medial and lateral arches are typically caused by shortening of the tendon structure or high muscle tension. These changes of the foot shape cause friction and pressure points when wearing shoes. A stressed tendon structure is often found throughout the body in this case. A HIGH Arch insole ensures comfortable, even pressure distribution for this foot type.



Following models are available in the 3-Arch Concept:



**COMFORT**  
Page 19



**STABILITY**  
Page 20



**THERMO X**  
Page 21



**EXPLORE**  
Page 22




**FITNESS**  
Page 23

**INSOLES**

# 3D CUSTOM

If you need a personalized solution, look no further than the BOOTDOC 3D CUSTOM insole range. In this segment, there are no compromises. The fitting process with 3D CUSTOM insoles from BOOTDOC is considered premium technology, and rightly so. It's not just about finding the perfect fit. It's also about passion, technology, know-how, and most of all – a personal, thoughtful experience.



## 3D RACE

01-0400-183-x



## 3D CUSHION

01-0400-202-x **NEW**



## 3D WIDE

01-0400-185-x




## 3D POWER

01-0400-187-x



## 3D CLASSIC

01-0400-189-x



**Ski Austria**

BOOTDOC is official insole supplier of the Ski Austria Team.



01-0400-183-x // XS - XXL

95

## 3D RACE

The premium model for maximum performance.

- Optimal support and maximum transmission of energy due to a perforated PE Top-Grip surface
- The extra thin thermoplastic creates a precision mold of the foot
- External stabilizers
- Volume: Low
- Construction: 3D Custom Vacutec
- Top cover: PE Top-Grip 1.6 mm

Insole can also be reordered in pairs in sizes XS and XXL.



**NEW**

01-0400-202-x // XS - XXL

95

## 3D CUSHION

The comfort model with added foot cushioning.

- Foot cushioning and PE cushioning layer for maximum comfort
- Perfect support and optimal transmission of energy thanks to the perforated Top Grip surface material
- The extra-thin structure delivers precision at the highest level
- Outer stabilizers
- Volume: Low
- Design: 3D Custom Thermotec
- Surface material: PE Top Grip 1.6 mm



01-0400-185-x // XS - XXL

110

## 3D WIDE

The special model for extra-wide feet and ski boot lasts.

- Maximum comfort due to a PE cushioning layer
- Integrated mid and rear foot stabilizer (1.0 mm) for maximum stability
- For extra wide feet and lasts
- Slide zone in the arch area, make the boot easier to put on
- Volume: Mid
- Construction: 3D Custom Vacutec
- Top cover: PE Top 2 mm

Insole can also be reordered in pairs in sizes XS and XXL.



01-0400-187-x // XS – XXL

### 3D POWER

For ambitious customers who are looking for maximum stability.

- Perforated surface for perfect support
- Extra lightweight thanks to Flex-Cambrelle base layer
- Mid and rear foot stabilizer (1 mm) offer maximum power, flexible in forefoot
- Designed for low volume shoes and boots
- Volume: Low
- Construction: 3D Custom Thermoflux
- Top cover: PE Top-Grip perforated 2 mm



Insole can also be reordered in pairs in sizes XS and XXL.

01-0400-189-x // XS – XXL

### 3D CLASSIC

The all-purpose model for wintersports.

- Perforated surface for optimal support
- Integrated mid and rear foot stabilizer (1 mm) for maximum stability
- Slide-in zone in the arch area, make the boot easier to put on
- Volume: Low
- Construction: 3D Custom Vacutec
- Top cover: PE Top-Grip perforated 1.6 mm



Insole can also be reordered in pairs in sizes XS and XXL.

#### RECOMMENDATION

01-2200-040

### HEEL PERFORMANCE

- Stabilizes 3D CUSTOM insoles in the mid and rear foot area
- Size: Uni



#### RECOMMENDATION

01-2200-041

### HEEL COMFORT

- Stabilizes 3D CUSTOM insoles in the mid and rear foot area
- Softer material, perforated
- Size: Uni



# 3D INSOLE FITTING

1. Material is pushed back to the rear part of the pillows to form a plateau. Next, air is pulled out to create a vacuum.
2. The customer should sit in a 90-90-90 position with the legs hip-width apart and put the feet on the vacuum pillows. The VAC IV offers the possibility to adjust the width of the molding pillows! Then, enough air to enable one of the feet to be copied needs to be let into the cushion.

**Tip:** The customer should apply no pressure to their foot at all, so that it can be positioned and copied correctly.

3. The heel should be pressed by the technician into the vacuum pillow while in a neutral position, and the area from the midfoot to the toes should then be carefully embedded in the pillow. Pull out more air to harden the cast.
4. Smooth out the pillow in front of and around the toes, so that an insole can be placed in the best possible position in the forefoot and toe area.
5. Heat the 3D Heater to the desired temperature, insert the insoles, and activate the timer. Avoid heating the insole too much and for too long as this will have a negative effect on the materials and the cooling time!
6. Position the heated insoles in the vacuum pillow starting from the heel and working toward the toes. Be sure to align the insole properly.
7. Ask the customer to stand on the insoles and put all their body weight on them for five minutes. Ensure the customer is standing with the feet hip-width apart when doing this. **Attention:** Allow the insoles to cool down for a further five minutes so that they harden completely. You can accelerate the cooling down phase by using cooling pads or a cooling spray. Once the 3D insoles have cooled completely, you can remove them from the 3D VAC and finish them (by sanding, cutting and/or milling them).



Many of our customers use the VAC IV with BOOTDOC insoles in the Fusion series to get the best custom insoles for their feet. These insole models are heated using a Speedheater or hot-air blower.

Discover now:  
[bootdoc-hotronic.com](http://bootdoc-hotronic.com)



# CUSTOMER REVIEWS

Gelo Racing Lab, Italy:

## ANGELO DELPANNO

"The wide variety of BOOTDOC and HOTRONIC products on offer gives us an excellent range of solutions to suit our customers' needs. Our end users can achieve even more out on the slopes thanks to the BOOTDOC and HOTRONIC combination of comfort and maximum performance. I couldn't be happier with the quality and work regularly with the durable 3D Power and flexible 3D Race insoles. Looking to the future, it would definitely be advantageous to have the properties of both insoles combined in a single product. There is especially high demand for insoles used in Alpine racing at my store. I think the Podo Easy is one of the most important tools you can have when it comes to identifying issues promptly during the foot analysis and using the right insoles to address them. I've built up a great relationship with the BOOTDOC team during our many years of working together – they're always there when I need them and respond flexibly to all my needs. Our partnership centers on developing and improving racing products to achieve the perfect fit for our customers' feet."



Lanches Sports, France

## SEVESTRE MANON

"Your feet always hurt when wearing ski boots; there's no getting round it! Unlike in most sports shops, it's been a long time since anyone at Lanches Sports has heard this familiar phrase. As bootfitters at Lanches Sports, a ski and ski boot specialist in the Annemasse and Grand Genève (the cross-border metropolitan area of Geneva) region, choosing BOOTDOC for our fitting solutions was an obvious choice. The precision of the 3D ER\_WIN Scanner analysis system has enabled us to build upon our professional expertise to bring high-quality solutions to our customers. This is true not only for regional competitors in permanent search of precision from their boots, but also for recreational skiers and those skiing for fitness, who are unwilling to compromise on comfort. The latter make up the majority of our clientele and here again BOOTDOC provides us with effective solutions through its vast yet consistent range of pseudo soles. Even on busy days, it's a rewarding experience kitting out our customers with the perfect pair of pseudo soles thanks to our Autofit Center BT station! There's no need to make an appointment anymore since it just takes a few minutes to obtain a lasting, high-quality result. What's more, the expertise we offer helps to facilitate the purchase of a good pair of compression socks or other additional products. Lanches Sports and BOOTDOC: a win-win relationship throughout the entire winter!"



# BUILD YOUR OWN 3D CUSTOM INSOLE

Layer-by-layer, create your own 3D design to suit your exact needs, and personalize it with your own logo!  
Insole technology made-to-measure!

## TOP LAYER

Material options to balance grip and cushion

- **Foam:** The classic, economical choice. 2 mm or 3 mm of cushioning foam that also increases top surface grip.
- **Jersey:** Polyester tight weave fabric that provides an economical solution for reducing surface friction and reducing blisters. This material can be shaped and styled in a number of colors and graphic patterns.
- **Microfiber:** Increases insulation and foot comfort through efficient moisture wicking. Reduces surface grip.
- **Functional-Mesh:** The premium top cover. Silver threads reduce odor, reflect heat back to the foot, and provide unique easy to enter surface that looks great.
- **Merino:** Be it spring, summer, autumn, or winter, the extremely fine fibers of Merino wool ensure effective temperature equalization and optimum foot climate.

## MIDDLE SUPPORT LAYER

Heat moldable resin

- **2.0 mm:** For low volume applications such as racing or high performance freeride.
- **2.5 mm:** For general use and medium volume fitting.

## BOTTOM SUPPORT AND REINFORCEMENT

- **PCL Arch support:** This thermally moldable 2 mm performance plastic serves as a reinforcement layer for optimal support in arch and heel areas.
- **Refostab:** Heat moldable material in a selection of rigidities for the targeted control of the support and stabilization function in the necessary areas. Can be applied internally or externally.

Do you have any questions about our products? Please get in touch with your BOOTDOC contact person or write an e-mail to: [office@boot-doc.com](mailto:office@boot-doc.com)


Examples:



**INSOLES**

# FUSION PRESHAPED

The BOOTDOC Fusion Preshaped insoles are based on 3D CUSTOM Technology, but have already been preshaped for quick and convenient processing. Custom molding for the customer at the POS provides greater comfort, stability, and activity-specific support. Due to their construction, these insoles are designed to meet an extremely wide range of requirements and impress down to the very last detail.



<p><b>ALPINE</b> 01-0400-176-x</p>	
<p><b>SENSATION</b> 01-0400-177-x</p>	
<p><b>MERINO</b> 01-0400-180-x</p>	
<p><b>POWER</b> 01-0400-178-x</p>	
<p><b>SUPREME</b> 01-0400-179-x</p>	
<p><b>ADVENTURE</b> 01-0400-160-x</p>	
<p><b>SPEED</b> 01-0400-161-x</p>	
<p><b>TOP RUN</b> 01-0400-197-x</p>	



Official supplier  
of the German ski  
national teams.



01-0400-176-x // XS - XXL

## ALPINE

The latest Fusion development with a 3D base construction for performance athletes.

- Comfort entry thanks to a Microfiber Top with anti-odor function
- Perfect pressure distribution and cushioning
- Integrated stabilizers for maximum support
- Volume: Mid
- Construction: Fusion Preshape Vacutec
- Top cover: Microfiber AOF



01-0400-177-x // S - XXL

## SENSATION

A Fusion insole with a 3D base construction that includes a antibacterial Microfiber Top for easy entry.

- Comfort entry thanks to a antibacterial Mesh Top
- Excellent comfort and extra light materials
- Dynamic in the forefoot area
- Volume: Low
- Construction: Fusion Preshape Thermoflux
- Top cover: Antibacterial Mesh Top



01-0400-180-x // S - XXL

## MERINO

The MERINO is the ideal insole for use all year round. Be it spring, summer, autumn, or winter, the extremely fine fibers of the Merino wool ensure effective temperature equalization and thus an optimum foot climate.

- Tried-and-tested, durable POWER base construction
- Merino top for warm feet and optimum foot climate
- Volume: Mid / High
- Construction: Fusion Preshape Thermoflux
- Top cover: Merino Top



01-0400-178-x // XS - XXL

## POWER

**Specially designed for use in ski boots for the athletic performer.**

- Perforated surface for perfect support
- Maximum stability and support
- Optimal power transmission combined with thin construction deliver exceptional properties
- Volume: Low
- Construction: Fusion Preshape Thermoflux
- Top cover: PE Top-Grip perforated 2 mm



01-0400-179-x // S - XXL

## SUPREME

**Fusion insole with a 3D base construction that includes a Microfiber Top.**

- Comfort entry thanks to a Microfiber Top
- Excellent comfort and extra light materials
- Dynamic in the forefoot area
- Volume: Low
- Construction: Fusion Preshape Thermoflux
- Top cover: Microfiber Top



01-0400-160-x // XS - XXL

## ADVENTURE

**The first Step-In insole for outdoor sports with a 3D base construction and a surface that is 100 % real leather.**

- Perforated surface made of 100 % genuine leather for a perfect foot climate
- PORON® for maximum cushioning and outstanding stability
- Perfect grip for both uphill and downhill sport
- Volume: Mid
- Construction: Fusion Preshape Thermoflux
- Top cover: Leather perforated 1.5 mm



## RECOMMENDATION

01-2100-060-x // S - L

**NEOPRENE COVER**

A neoprene protective cover for ski boot liners and wintersports footwear.

- Durable neoprene for proven warmth
- Fits the shape of the foot perfectly thanks to its elasticity of the neoprene
- Additional volume reduction function
- Wet and cold protection



01-2100-062 // 5 x S, 5 x M, 5 x L  
**DISPENSER (15)**

## NEW

01-2100-064

**GEL PAD RED**

Used to distribute pressure and relieve sensitive areas

- For use on shins, ankles, and insteps
- Can be cut to size and shape
- Reusable
- Size: Uni



01-2100-065  
**DISPENSER (20)**

01-0400-161-x // S - XXL

# SPEED

Developed for all activities requiring a stable, thin insole for optimum transmission of energy. Due to its thin design, this insole can be worn in many different types of shoes.

- Perforated surface for optimal support
- Extremely thin and lightweight with maximum stability and high transmission of energy
- Volume: Low
- Construction: Fusion Preshape Thermoflux
- Top cover: PE-Top Grip perforated 1.2 mm



01-0400-197-x // S - XXL

# TOP RUN


The first Fusion insole for running with a 3D base construction designed specifically for rebound effect.

- BOOTDOC Energy System (BES)
- Active rebound energy when running
- Lightweight & breathable
- Integrated padding
- Thermally adaptable shape especially for running shoes
- Cushions and stabilizes the foot in the dynamic rolling motion
- Volume: Low
- Construction: Fusion Preshape BES
- Top cover: Microfiber-Jersey perforated AOF



## BOOTDOC ENERGY SYSTEM (BES) IN DYNAMIC MOVEMENT

- Acts like a spring and generates energy for the running motion
- Improves running economy and increases performance
- Uses impact energy and improves cushioning
- Provides support for every type of runner (heel striker, mid foot, or forefoot runner)






**THE PERFECT RUNNING COMPANION.**  
**INSOLES**

**INSOLES**

# STEP-IN

BOOTDOC Step-In insoles make for the perfect day – be it playing sports, in the workplace, or enjoying some leisure time. We offer the right model – anatomically preshaped according to the 3-Arch concept or in an anatomically shaped universal fit – regardless of whether the customer is looking for comfort or a sporting challenge. The Step-In design offers something for everyone, as well as quick and easy custom molding of the individual insole.



<p><b>COMFORT</b> </p> <p>01-0400-16x-x</p>	
<p><b>STABILITY</b> </p> <p>01-0400-16x-x</p>	
<p><b>THERMO X</b> <span style="color: red; font-weight: bold;">NEW</span></p> <p>01-0400-20x-x</p>	
<p><b>EXPLORE</b> </p> <p>01-0400-15x-x</p>	
<p><b>FITNESS</b> </p> <p>01-0400-19x-x</p>	
<p><b>CORK</b></p> <p>01-0400-190-x</p>	
<p><b>BALANCE</b></p> <p>01-0400-153-x</p>	
<p><b>ADJUST</b> <span style="color: red; font-weight: bold;">NEW</span></p> <p>01-0400-200-x</p>	
<p><b>MOTION</b></p> <p>01-0400-158-x</p>	
<p><b>JUNIOR</b></p> <p>01-0400-175-xxx</p>	
<p><b>FUNCTION</b></p> <p>01-0400-169-x</p>	
<p><b>ALLROUND</b></p> <p>01-0400-170-x</p>	
<p><b>RENTAFIT</b></p> <p>01-0400-171-x</p>	
<p><b>RENTASOLE</b></p> <p>01-0400-172-x</p>	

MP 23.0 – 31.0

## COMFORT

The top 3-Arch Concept model with full-shell technology and dampening element.

- Perfect Shape in Mid Arch
- A large forefoot dampening material
- Anatomic dampening in the heel
- Dampening in the area of the 5th metatarsal
- Flexzones in arch
- Improved heel cup
- Perfect visibility of arch type colour system
- Volume: Mid
- Construction: Step-In Flex-Full-Shell
- Top cover: Microfiber with anti-odor function



**LOW ARCH**

01-0400-165-x

Also available in Mid and High Arch



**MID ARCH**

01-0400-166-x



**HIGH ARCH**

01-0400-167-x

MP 23.0 - 31.0

# STABILITY

The all-purpose 3-Arch Concept genius for all sports that require maximum support and stability within their shoes.

- A large forefoot dampening element
- Anatomic dampening in the heel
- Added dampening at the base of the 5th metatarsal
- Flexzones in arch
- Improved heel cup for better stability
- Perfect visibility of arch type colour system
- Maximum stability in the rear foot area
- Volume: Mid
- Construction: Step-In Flex-Full-Shell
- Top cover: Grip-Mesh with anti-odor function



**LOW ARCH**

01-0400-162-x

Also available in Mid and High Arch



**MID ARCH**

01-0400-163-x



**HIGH ARCH**

01-0400-164-x

MP 23.0 - 31.0

# THERMO X

The 3-arch model with Merino top cover to keep feet fresh and warm.

- Merino top cover
- Rear foot stabilizer with additional heel cushioning
- Color-coded by foot type
- Volume: Mid
- Design: Step-In Semi-Shell
- Surface material: Merino Top



**LOW ARCH**

01-0400-203-x

Also available in Mid and High Arch



**MID ARCH**

01-0400-204-x



**HIGH ARCH**

01-0400-205-x

MP 23.0 - 31.0

# EXPLORE

Top model in 3-arch concept for outdoor sports.

- Bamboo-Mesh surface for optimal foot climate
- Cork rear foot stabilizer with flex zones
- EVA cork cushioning layer
- Anatomical cushioning elements
- Perfect visibility of arch type colour system
- Volume: Mid
- Construction: Step-In Cork Flex-Full-Shell
- Top cover: Bamboo-Mesh



**LOW ARCH**

01-0400-150-x

Also available in Mid and High Arch



**MID ARCH**

01-0400-151-x



**HIGH ARCH**

01-0400-152-x

MP 23.0 - 32.0

## FITNESS

The 3-arch model made of high-quality materials for all dynamic sports.

- New stabilization concept
- Perforated memory foam base body with anatomical cushioning zones in the ball and heel area
- Breathable
- Extremely lightweight and thermally adaptable
- With light embedded pelotte
- Volume: Mid
- Construction: Step-In Full-Shell Dynamic Sport
- Top cover: Recycle Air Mesh perforated with anti-odor function



**LOW ARCH**

01-0400-194-x

Also available in Mid and High Arch



**MID ARCH**

01-0400-195-x



**HIGH ARCH**

01-0400-196-x

Discover now:  
[bootdoc-hotronic.com](http://bootdoc-hotronic.com)



01-0400-190-x // MP 23.0 - 31.0

# CORK

Universal base construction for outdoors and everyday life.

- Cork and latex mix surface with outstanding grip qualities
- Excellent fore foot and rear foot cushioning
- Volume: Low
- Construction: Step-In Dynamic Sport
- Top cover: Cork and latex mix 1 mm



01-0400-153-x // MP 23.0 - 31.0

# BALANCE

The ultra-thin model for everyday use.

- Cork rear foot stabilizer
- Microfiber coating and perforation
- Heel cushioning
- Volume: Low
- Construction: Step-In Cork Dynamic
- Top cover: Microfiber perforated AOF



**NEW**

01-0400-200-x // XS - XXL

# ADJUST

The model with the newly developed, self-adjusting SAS construction.

- The pressure of the foot on the insole creates the individual Arch Support
- Slide-in zone
- Thermally adaptable
- High amount of recycled material
- Volume: Mid
- Construction: SAS (self adjust system)
- Top cover: Top Grip perforated



## BOOTDOC SELF ADJUST SYSTEM (SAS)




Initial state



The pressure of the foot creates the individual Arch Support

Watch video now:



01-0400-158-x // MP 23.0 – 31.0

## MOTION

The all-round model for all dynamic sports.

- excellent basic fit with full cushioning layer
- Perfect hold due to EVA Top-Grip surface
- Stabilizer for supporting dynamic movement
- Heel and fore foot cushioning
- Volume: Low
- Construction: Step-In Dynamic Sport
- Top cover: EVA Top-Grip 2 mm



01-0400-175-190 // MP 17 – 19

01-0400-175-210 // MP 20 – 21

01-0400-175-230 // MP 22 – 23

## JUNIOR

Sporty design for children's and youth activities.

- Anatomical insoles for children and teenagers
- Boasts a Mesh Top with a built-in anti-odor function
- Available in 3 sizes
- Volume: Mid
- Construction: Step-In Sport
- Top cover: Mesh AOF



## RENTAL INSOLES

01-0400-169-x // MP 23.0 – 31.0

## FUNCTION

The premium model that guarantees very easy entry.

- Boasts a Mesh Top with a built-in anti-odor function
- Extremely lightweight with maximum stability
- Perfect transmission of energy thanks to semi-shell construction
- Size is printed on the top surface
- Cardboard packaging
- Volume: Low
- Construction: Step-In Semi-Shell
- Top cover: Mesh AOF



01-0400-170-x // MP 23.0 - 31.0

# ALLROUND

The dynamic sports design for ambitious skiers.

- Boasts a Mesh Top with a built-in anti-odor function
- Maximum comfort thanks to dynamic sport construction
- Size is visible
- Blister packaging
- Volume: Low
- Construction: Step-In Dynamic Sport
- Top cover: Mesh AOF



01-0400-171-x // MP 23.0 - 31.0

# RENTAFIT

The all-purpose model with an anatomic base construction for all rental footwear.

- Boasts a Mesh Top with a built-in anti-odor function
- Size is printed on the top surface
- Blister packaging
- Volume: Low
- Construction: Step-In Dynamic Sport
- Top cover: Mesh AOF



01-0400-172-x // XS - XXL

# RENTASOLE

Reinforced substitute insole for ski rental. Comes in a multipack.

- Insole with sides that differ in hardness
- Can be used to replace worn insoles at ski rental centers
- 12 pairs / units
- Volume: Low
- Construction: Double Layer
- Top cover: Fleece




# BOOTDOC ACADEMY

The BOOTDOC ACADEMY program is a unique boot-fitting training program and offers every technician an introduction to, or advanced training in, boot fitting. Learn from top professionals and pick up tips and tricks that will enable you to provide your customers with the best footwear fitting service. Since the number of participants is limited, individual assistance is guaranteed during the seminar, and there is sufficient time to practice skills directly on the products.

Newcomers should choose the BASIC boot fitting seminar, while more experienced participants can register directly for the ADVANCED course.

- Bring your own ski boots or some old ones so that they can be ground and expanded.
- You will receive precise details of what the program involves, hotel options, the location and how to get there after you have registered. Please send your registration to [sales@boot-doc.com](mailto:sales@boot-doc.com).
- Every participant will receive a personal certificate and participation confirmation from the BOOTDOC ACADEMY.



# POWER FIT SOCKS




The special technology of the Power Fit Socks ensures a flat pressure from the ankle to the knee, which is reduced evenly from bottom to top: The compression is gradual. The Power Fit construction with all its additional features ensures stabilization of the feet and a wrinkle-free fit of the socks to improve the shoe fit and increasing comfort.



## POWER FIT INDEX

The Power Fit Index (PFI) indicates how strong the overall level of gradual compression is: PFI 30 designates light compression, while PFI 90 is classified as strong and is therefore only found in our performance series.



## MERINO WOOL

It is soft, breathable and temperature-regulating, making it comfortable in cold and warm weather. It keeps feet dry and remains odor-resistant, even after prolonged wear. Ideal for everyday wear and sport, they offer a comfortable fit and a good foot climate.



## PRIMALOFT

The high-performance synthetic insulation ensures optimum thermal performance with a low weight. Primaloft is breathable, moisture-regulating and keeps you pleasantly warm - ideal for perfect comfort



## ECONYL® REGENERATED NYLON

Sustainable material made from recycled waste such as old fishing nets and textiles. It offers the same high quality and performance as conventional nylon/polyamide, but is more environmentally friendly. With ECONYL® you can actively contribute to the reduction of plastic waste and at the same time enjoy the longevity and durability of the socks.



## COPPER YARN

This technical fiber is an integral part of the fabric and has an antibacterial and anti-odor effect.

- Odor reduction
- Improvement of hygiene
- Pleasant skin feeling
- Promotion of a healthy foot climate

**POWER FIT SOCKS**

# PERFORMANCE

More performance, better regeneration and - as a pleasant side effect - warmer feet. The BOOTDOC Power Fit Socks with compression function and Arch-Type Support impress with their high-quality workmanship and maximum comfort.



**NEW**

RECYCLED MATERIALS

MAXIMUM COMFORT

ANATOMIC FIT

COPPER YARN

ARCH-TYPE SUPPORT



## PERFORMANCE

01-0500-18x-x **NEW**



## ADVANCE

01-0500-19x-x **NEW**



## ECO COMFORT

01-0500-19x-x **NEW**



## RACE MERINO

01-0500-19x-x **NEW**



## RACE

01-0500-19x-x **NEW**



## BASIC

01-0500-20x-x **NEW**



## BASIC JUNIOR

01-0500-16x-x



**NEW**

S - XL


## PERFORMANCE

Compression socks with Merino wool and Primaloft featuring Arch-Type support keep feet warm and provide excellent hold and support.


- Anatomical ankle zones
- Foot type specific support
- Shin protector
- Reinforced toe and heel area
- Smooth toe seam for even greater comfort
- Designed to match the shape of the left and right foot
- Compression: strong - PFI 90, 20 - 25 mmHg
- Material: 25% wool (merino), 25% polyester (Primaloft), 45% polyamide, 5% elastane



01-0500-188-x



01-0500-189-x



01-0500-190-x

**90 PFI**

POWER FIT SOCKS

**NEW**

S - XL


## ADVANCE

Compression socks with a high Merino wool percentage and Arch-Type support function for additional warmth, ideal hold, support and comfort.

- Anatomical ankle zones
- Foot type-specific support
- Shin-protector
- Reinforced toe and heel areas
- Smooth toe seam for even greater comfort
- Designed to match the shape of the left and right foot
- Compression: medium - PFI 70, 15 - 20 mmHg
- Material: 47% wool (merino), 45% nylon, 8% lycra



01-0500-191-x



01-0500-192-x



01-0500-193-x

**70 PFI****NEW**

S - XL

## ECO COMFORT

Lightweight, versatile Compression socks made of recycled materials and Merino wool that feel soft against the skin and ensure optimal hold, support and comfort throughout the day.


- Anatomical ankle zones
- Foot type-specific support
- Shin-protector
- Reinforced toe and heel areas
- Smooth toe seam for even greater comfort
- Designed to match the shape of the left and right foot
- Compression: soft - PFI 50, 10 - 15 mmHg
- Material: 35% polyester (recycled), 26% polyamide, 17% wool (merino), 15% viscose, 9% polyamide (recycled), 2% elastane



01-0500-194-x



01-0500-195-x



01-0500-196-x

**50 PFI**

**NEW**

S - XL

## RACE MERINO

Thin performance sock with merino wool for moisture management and warmth and innovative copper thread for anti-microbial and anti-odor.

- Thin design, ideal for low volume applications like racing, where optimal contact and feel is preferred.
- Copper yarn
- Antibacterial and anti-odor properties thanks to the use of copper
- Reinforcements in the toe and heel areas
- Compression: soft - PFI 50, 10 - 15 mmHg
- Material: 50% wool (merino), 44% polyamide, 3% elastane, 3% metal fiber (copper)



01-0500-197-x



01-0500-198-x

50  
PFI

**NEW**

S - XL


## RACE

Thin racing sock with compression effect. Features antimicrobial and anti-odor properties thanks to innovative copper thread.

- Racing sock with thin design
- Copper thread
- Antimicrobial and anti-odor properties through the use of copper
- Reinforcements in the toe and heel areas
- Compression: soft - PFI 50, 10 - 15 mmHg
- Material: 58% polyamide, 34% polypropylene, 4% copper, 4% elastane



01-0500-199-x



01-0500-200-x

50  
PFI

**NEW**

S - XL


## BASIC

**Multifunctional winter sports socks with protection from the cold thanks to merino.**

- Perfect protection thanks to shin protectors
- Fits perfectly with the stretch zone function
- Very durable with special reinforcement in the ankle area
- Material: 50% polyamide, 21% acrylic, 21% wool (merino), 6% polypropylene, 2% elastane



01-0500-201-x



01-0500-202-x



01-0500-203-x

XXXS - S


## BASIC JUNIOR

**Multifunctional winter sports socks with protection from the cold thanks to merino.**

- Perfect protection thanks to shin protectors
- Fits perfectly with the stretch zone function
- Very durable with special reinforcement in the ankle area
- Material: 36% acrylic, 26% nylon, 19% polypropylene, 17% wool (merino), 2% elastane



01-0500-163-x



01-0500-164-x

NEW

POWER FIT SOCKS

# ACTIVE

The models in the Active range offer greater performance, optimal support, and quicker recovery. BOOTDOC Power Fit Socks with compression function, Arch-Type Support function, and copper yarns shine thanks to high-quality workmanship and maximum wearing comfort. The use of copper also has an odor-inhibiting and antimicrobial effect.



RECYCLED MATERIALS

MAXIMUM COMFORT

ANATOMIC FIT

COPPER YARN

ARCH-TYPE SUPPORT



## TREK & HIKE MERINO

01-0500-20x-x NEW



## TREK & HIKE ECO

01-0500-20x-x NEW



## TREK & HIKE

01-0500-20x-x NEW



## RUN TRAIL

01-0500-21x-x NEW



## RUN ECO

01-0500-21x-x NEW



## RUN ACTIVE LOW

01-0500-21x-x NEW



NEW

S - XL


## TREK & HIKE MERINO

High-quality outdoor socks with RWS Merino wool for exceptional performance and first-rate comfort and protection.

- Arch-Type support design
- Reinforced toe and heel areas
- Achilles tendon protection
- Smooth toe seam for even greater comfort
- Designed to match the shape of the left and right foot
- Compression: gentle - PFI 30, 5 - 10 mmHg
- Material: 42% polyamide, 28% wool (Merino), 28% acrylic, 2% elastane



01-0500-204-x



01-0500-205-x

30 PFI

POWER FIT SOCKS

NEW

S - XL


## TREK & HIKE ECO

Comfort outdoor sock with a high proportion of eco materials, RWS Merino wool, and an anatomical fit for a perfect foot climate and well-being.

- Arch-Type support design
- Breathable, quick-drying, and durable materials
- Reinforced toe and heel areas
- Achilles tendon protection
- Smooth toe seam for even greater comfort
- Designed to match the shape of the left and right foot
- Compression: gentle - PFI 30, 5 - 10 mmHg
- Material: 42% polyamide, 28% polyester (recycled), 17% wool (merino), 11% viscose, 2% elastane



01-0500-206-x



01-0500-207-x

30 PFI

NEW

S - XL


## TREK & HIKE

Outdoor socks for maximum comfort, good foot climate and optimum shoe fit.

- Arch-Type support design
- Reinforced toe and heel areas
- Achilles tendon protection
- Smooth toe seam for even greater comfort
- Designed to match the shape of the left and right foot
- Compression: gentle - PFI 30, 5 - 10 mmHg
- Material: 44% polyamide, 31% polyester (Tecno-PE), 23% polypropylene, 2% elastane



01-0500-208-x



01-0500-209-x

30 PFI

NEW

S - XL

## RUN TRAIL

High-quality, breathable running socks with copper thread for exceptional performance, maximum comfort, and improved stability.

- Arch-Type support design
- Breathable, quick-drying, and durable materials
- Reinforced toe and heel areas
- Achilles tendon protection
- Copper thread
- Smooth toe seam for even greater comfort
- Designed to match the shape of the left and right foot
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 66% polyamide, 27% polyamide (Econyl), 4% metal fiber (copper), 3% elastane



01-0500-210-x



01-0500-211-x

30 PFI

NEW

S - XL

## RUN ECO

Breathable, lightweight running socks with a high proportion of yarns made from recycled materials.

- Arch-Type support design
- Breathable, quick-drying, and durable materials
- Reinforced toe and heel areas
- Achilles tendon protection
- Smooth toe seam for even greater comfort
- Designed to match the shape of the left and right foot
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 87 % polyamide (Econyl®), 10 % polyamide, 3 % elastane



01-0500-212-x



01-0500-213-x

30 PFI

NEW

S - XL

## RUN ACTIVE LOW

Short, breathable running sock with copper yarn for optimum foot climate and stability.

- Arch-Type support design
- Breathable, quick-drying, and durable materials
- Reinforced toe and heel areas
- Achilles tendon protection
- Copper thread
- Smooth toe seam for even greater comfort
- Designed to match the shape of the left and right foot
- Compression: gentle – PFI 30, 5 – 10 mmHg
- Material: 66% polyamide, 25% polyamide (recycled), 6% metal fiber (copper), 2% elastane



01-0500-214-x



01-0500-215-x

30 PFI



**ALWAYS KEEP MOVING.**  
**POWER FIT SOCKS**

# THE BEST SKI BOOT FOR EVERY KIND OF SKIER

## QUICK FOAM CONCEPT

For the Classic Foam and Performance Foam models

- Simple, fast, and uncomplicated
- No need to tape the feet
- Self-regulating foam volume system
- Membrane instead of tubing the forefoot area
- Asymmetrical tongue system
- Sealed seams for more warmth
- HF-fused foam areas (Classic and Performance models)
- Easy removal of the foam tubing
- Spoiler for individual setting of the template

## PRESSURE FOAM CONCEPT

For the Worldcup Foam model

- High-pressure foam design made from 2 components
- Asymmetrical racing tongue design
- HF-fused foam areas
- Adhesive material for problem areas
- Sealed seams for more warmth
- Spoiler for calf adjustment

01-0900-070-x // 22.0 – 31.0

## CLASSIC FOAM\*

The Quick & Easy construction that offers optimal support

- Pleasant and easy entry
- 2 Spoiler for cushioning and calf adjustment
- Warmer feet thanks to a neoprene toe box, sealed seams and merino lining
- Fused foam pockets
- Tongue integration
- Anatomical performance for lasts
- Stretchable insoles for optimal fitting of last widths



\*Attention: Foam shoes can only be ordered in pre-order.

01-0900-050-x // 23.0 – 31.0

95 ↔ 102

## PERFORMANCE FOAM\*

The **PERFORMANCE FOAM** combines the design of the **WORLD CUP FOAM** with the sophistication of the **Quick Foam** concept

- Optimum transmission of energy through racing inner lining and slim "performance" design
- Strobel sole design
- Worldcup Foam design with membrane and Quick Foam concept
- Perfect fit due to asymmetric tongue
- Warmer feet due to neoprene toe box and sealed seams
- Fused foam pockets
- Redesigned tongue integration
- Anatomical performance for lasts
- Stretchable insoles for optimal fitting of last widths



01-0900-019-x // 23.0 – 31.0

95 ↔ 102

## WORLD CUP FOAM\*

The liner for high-performance athletes that fits perfectly thanks to an asymmetrical racing tongue

- Optimal transmission of energy thanks to a racing lining and slim racing structure
- Always fits perfectly thanks to an asymmetric racing tongue
- Strobel sole design
- Warmer feet thanks to a neoprene toe box and sealed seams
- Fused foam pockets
- Redesigned tongue integration




\*Attention: Foam shoes can only be ordered in pre-order.

HEATING SYSTEMS

# XLP S SERIES

The XLP S series from HOTRONIC is setting new standards in foot heating systems. The special lithium-ion technology, combined with state-of-the-art electronics, makes the batteries very compact and light. The batteries are barely noticeable and can be controlled either directly or with Bluetooth via the HOTRONIC Heat app. The constant heat level control ensures a consistent temperature throughout use.

The HOTRONIC Heat app is available for free in the App Store and Google Play Store.



HEAT SOCKS  
SURROUND COMFORT EVO



HEAT SOCKS  
SURROUND RACE



HEAT SOCKS  
CLASSIC COMFORT EVO



HEAT SOCKS  
SURROUND THIN EVO




USB LOAD PLUG XLP S  
RECHARGER XLP

# FITTING PERFORMANCE

There are two basic versions of Heat Socks with and without compression available:

- **Comfort:** The material composition and design provide a comfortable fitting sock.
- **Thin:** For customers who want their Heat Socks to take up the minimum possible space inside their footwear. Once again, the compression offers optimum wearing comfort and shoe fit.



# HEATING ELEMENTS

The newly developed heating elements and the technology for fixing to the socks offer maximum fit and comfort. The established double cuff construction for fixing the batteries combined with the flexible heating elements ensure that individual anatomical requirements are taken into account and offer optimum heating function.

- **Surround:** Thin external surround heating element for more comfort and heat transfer over a large area
- **Classic:** Thin external Classic heating element in the toe and ball area




Surround



Classic


# DURATION CHARTS

## XLP 2S BT DURATION CHART




Based on Battery pack in REAL World Conditions of 0° - 10°C (32° - 50°F). Boost Setting 4 auto-resets to Setting 3 within 3 minutes.

## XLP 1S BT DURATION CHART




Based on Battery pack in REAL World Conditions of 0° - 10°C (32° - 50°F). Boost Setting 4 auto-resets to Setting 3 within 3 minutes. Total duration in chart is for information only.

## XLP 2S BT CONSTANT HEATING POWER CHART



## XLP 1S BT CONSTANT HEATING POWER CHART



NEW

01-0100-377-x // S - XL

## HEAT SOCKS SET XLP 2S BT SURROUND COMFORT EVO

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 4400 mAh
- Intelligent charging technology
- Constant heating power
- Controllable via Bluetooth and HOTRONIC heat app
- Perfect fit
- Ideal moisture transfer
- Shin-protector
- Material: 54% polyamide, 25% elastane, 21% wool (merino)



NEW

01-0100-378-x // S - XL

## HEAT SOCKS SET XLP 1S BT SURROUND COMFORT EVO

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology
- Constant heating power
- Controllable via Bluetooth and HOTRONIC heat app
- Perfect fit
- Ideal moisture transfer
- Shin-protector
- Material: 54% polyamide, 25% elastane, 21% wool (merino)



**NEW**

01-0100-379-x // S - XL

## HEAT SOCKS SET XLP 1S SURROUND COMFORT EVO

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology
- Constant heating power
- Perfect fit
- Ideal moisture transfer
- Shin-protector
- Material: 54% polyamide, 25% elastane, 21% wool (merino)



**NEW**

01-0100-380-x // S - XL

## HEAT SOCKS SET XLP 1S CLASSIC COMFORT EVO

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology
- Constant heating power
- Perfect fit
- Ideal moisture transfer
- Shin-protector
- Material: 80% wool, 15% polyester, 5% elastane



**NEW**

01-0100-367-x // S - XL

## HEAT SOCKS SURROUND COMFORT EVO

- Perfect fit
- Ideal moisture transfer
- Shin-protector
- Material: 54% polyamide, 25% elastane, 21% wool (merino)



**NEW**

01-0100-368-x // XS - XL

## HEAT SOCKS SURROUND RACE

- Thin racing sock
- Ideal moisture transfer
- Compression: gentle - PFI 30, 5 - 10 mmHg
- Material: 40% wool (merino), 35% polyamide, 25% elastane



**NEW**

01-0100-369-x // S - XL

## HEAT SOCKS SURROUND THIN EVO

- Perfect fit, thin design
- Ideal moisture transfer
- Compression: gentle - PFI 30, 5 - 10 mmHg
- Material: 49% polyamide, 26% wool (merino), 25% elastane



**NEW**

01-0100-370-x // S - XL

## HEAT SOCKS CLASSIC COMFORT EVO

- Perfect fit
- Ideal moisture transfer
- Shin-protector
- Material: 80% wool, 15% polyester, 5% elastane



**NEW**

01-0100-371

## POWER SET XLP 2S BT

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 4400 mAh
- Intelligent charging technology
- Constant heating power
- Controllable via Bluetooth and HOTRONIC heat app




**NEW**

01-0100-372

## POWER SET XLP 1S BT

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology
- Constant heating power
- Controllable via Bluetooth and HOTRONIC heat app



**NEW**

01-0100-373

## POWER SET XLP 1S

- High-performance, low-weight Li-ion batteries in a compact design
- Output: 2200 mAh
- Intelligent charging technology
- Constant heating power



**NEW**

01-0100-374

## BATTERY PACK XLP 2S BT

- High-performance, low-weight Li-ion battery in a compact design
- Output: 4400 mAh
- Intelligent charging technology
- Constant heating power
- Controllable via Bluetooth and heat app
- 1 piece



**NEW**

01-0100-375

## BATTERY PACK XLP 1S BT

- High-performance, low-weight Li-ion battery in a compact design
- Output: 2200 mAh
- Intelligent charging technology
- Constant heating power
- Controllable via Bluetooth and heat app
- 1 piece




**NEW**

01-0100-376

## BATTERY PACK XLP 1S

- High-performance, low-weight Li-ion battery in a compact design
- Output: 2200 mAh
- Intelligent charging technology
- Constant heating power
- 1 piece



01-0100-362

## USB LOAD PLUG XLP S

- Charging plug for XLP S battery packs
- USB-C connection



01-0100-363

## RECHARGER XLP

- Charger with EU & US plug and USB A & USB C connection / output 5.0 V, 3.0 A



01-0100-364 // 1200 mm

## EXTENSION CORD XLP S

- 2 Extension cable for routing the XLP S battery pack fastener






**KEEP WARM ON COLD DAYS.**  
**HEAT SOCKS**

HEATING SYSTEMS

# XLP C SERIES

The XLP C series from HOTRONIC is setting new standards in foot heating systems. The special lithium-ion technology, combined with state-of-the-art electronics, makes the batteries very compact and light. The batteries are barely noticeable and can be controlled either directly or with Bluetooth via the HOTRONIC Heat app. The constant heat level control ensures a consistent temperature throughout use.

The HOTRONIC Heat app is available for free in the App Store and Google Play Store.



XLP HEAT ELEMENTS & CAMBRELLÉ



XLP ANATOMIC INSOLE



USB LOAD PLUG XLP C RECHARGER XLP

## POWERFUL LONGEVITY

Users will find comfort no matter how long they're in the cold by choosing from either of the two models.

- XLP 2C BT: 6000 mAh - the most powerful battery in our range means your HOTRONIC Footwarmer will deliver constant heating power up to 24 hours!
- XLP 1C: 3000 mAh means all-day comfort skiing at your favorite resort.




## A SMARTER WAY TO RECHARGE

With smart recharging technology in the Battery Pack, the USB Recharging cable is all you need to charge with a suitable USB-A and USB-C recharger for simple, fast recharging of your HOTRONIC XLP system.



## AN ELEMENT OF HEAT


A brand new size, shape, and heat delivery technology means the new HOTRONIC Heat Element delivers more warmth when you need it most. The resistance wire element provides even heat all the way to the toe pads and the improved shape means greater coverage for more comfort.



## DURATION CHARTS


The HOTRONIC Foot Warmer XLP C offers three base level Settings for comfort and warmth maintenance. A fourth Setting offers an extra blast of heat when needed. Press-hold-and-release the Battery Pack's power button to select each Setting. Easy to read LED lights indicate the Setting selected and when the power is on or off.

### XLP 2C BT DURATION CHART




Based on Battery pack in REAL World Conditions of -20 °C (-4 °F).

### XLP 1C DURATION CHART




Based on Battery pack in REAL World Conditions of -20 °C (-4 °F).

### XLP 2C BT CONSTANT HEATING POWER CHART



### XLP 1C CONSTANT HEATING POWER CHART



01-0100-400

## XLP 2C BT CUSTOM

- The three constant heat power settings, and the fourth Power Boost setting, can be selected using via the Power button on the battery packs or very conveniently with the HOTRONIC Heat app via a Bluetooth-enabled smartphone.
- The HOTRONIC Heat app provides an overview of the current charge status and heating levels. The app is available free of charge from the App Store and Google Play Store
- High-performance Lithium-Ion battery 6000 mAh
- Cambrelle covers for easy integration with all types of insoles, whether reshaped or customized.



01-0100-414-x // S - XXL

## XLP 2C BT ANATOMIC

- The three constant heat power settings, and the fourth Power Boost setting, can be selected using via the Power button on the battery packs or very conveniently with the HOTRONIC Heat app via a Bluetooth-enabled smartphone.
- The HOTRONIC Heat app provides an overview of the current charge status and heating levels. The app is available free of charge from the App Store and Google Play Store
- High-performance Lithium-Ion battery 6000 mAh
- BOOTDOC Anatomic insole with pre-installed Heating Element for easy integration into many types of footwear



01-0100-416

## XLP 1C CUSTOM

- The three constant heat power settings, and the fourth Power Boost setting, can be selected using via the Power button on the battery packs
- High-performance Lithium-Ion battery 3000 mAh
- Cambrelle covers for easy integration with all types of insoles, whether reshaped or customized.



01-0100-407

## XLP HEAT ELEMENTS & CAMBRELLE®



01-0100-412-x // S - XXL

## XLP ANATOMIC INSOLE



01-0100-401

**POWER SET  
XLP 2C BT**

- 6000 mAh



01-0100-417

**POWER SET  
XLP 1C**

- 3000 mAh



01-0100-402

**BATTERY  
PACK XLP  
2C BT**

- 6000 mAh
- 1 piece



01-0100-418

**BATTERY  
PACK XLP  
1C**

- 3000 mAh
- 1 piece



01-0100-406

**USB LOAD  
PLUG XLP C**

01-0100-363

**RECHARGER  
XLP**

01-0100-408

**HEAT ELEMENTS  
XLP C**

01-0100-410 // 1200 mm

**EXTENSION  
CORDS XLP C**

01-0100-409

**SLIDE STRAP  
BRACKETS  
XLP C**

01-0100-411

**BATTERY PACK  
WIRE FORM  
CLIP KIT XLP C**

01-0100-419

**MOUNTING  
BRACKETS  
XLP C**

01-0100-1510

**ATTACHMENT  
STRAPS**

# DRYING SYSTEMS

It's important to carefully dry ski boots, boots, gloves, helmets, and other equipment for a number of reasons. Moisture and dampness that builds up on these items can cause various problems if it is not removed adequately. Moisture in ski boots and other boots can lead to unpleasant odors and damage the material, causing premature wear and reducing the amount of time they can be used for. For these reasons it is recommended to regularly dry your equipment to prevent odors, increase its useful life, keep it hygienic, and protect your health and safety.

 <p><b>TECHDRY</b> 01-0100-5207</p>	
 <p><b>SNAPDRY 2.0</b> 01-0100-5210 <small>NEW</small></p>	
 <p><b>MICRODRY 2.0</b> 01-0100-5209 <small>NEW</small></p>	
 <p><b>NATURALDRY</b> 01-0500-21x-x</p>	

01-0100-5207 // 230 V // 300 W

## TECHDRY

Using warm air, TECHDRY dries wet shoes, boots, ski boots, and gloves, as well as motorbike, bicycle, and horse-riding helmets, in a short time and without damaging the material. As soon as the footwear or helmet is pulled over the drying attachment, the program starts automatically and warm air is circulated throughout the footwear or helmet.

- Time and temperature setting
- Temperature scale up to 60 °C
- Automatic start/stop operation when items are placed on, or removed, from machine
- Digital display
- Overheat protection switch-off for greater safety
- Quiet operation
- Removable attachment for shoes, boots, or helmets
- Scope of delivery: 230 V plug




### TECHDRY perfect for:



BOOTS



GLOVES



HELMETS



RUNNING SHOES



HIKING BOOTS

01-0100-5208

## TECHDRY Y-HOLDER

- For drying 4 items at the same time, e.g. 2 boots and 2 gloves
- Removable attachment with 4 outlets for retrofitting the TECHDRY

\*TECHDRY not included in scope of delivery



**NEW**

01-0100-5210 // 220 V // 170 W

## SNAPDRY 2.0

The successor model of our legendary Snapdry is here!

- Optimum heat circulation
- Removable drying nozzles
- Three timer settings: 120, 180, and 240 minutes
- Lightweight, compact, and rugged design
- Overheating protection



**NEW**

01-0100-5209 // 5 V // 8 W

## MICRODRY 2.0

The handy shoe and boot dryer for the home and on the go dries ski and snowboard boots, winter boots, casual footwear, sneakers, and work boots gently and efficiently. Gentle drying means that the material is not damaged or even deformed. With its compact dimensions, this lightweight drying device can be placed in the smallest bag and can be conveniently taken anywhere.

- Gentle drying temperature and airflow to ensure a longer lifetime for your shoes and boots
- Optimum heat circulation
- Higher temperature and air flow rate compared to the previous model
- Cable with combined USB-C and USB-A connection



10-3100-370

## NATURALDRY

For all types of boots


- Filling: 100 % all natural Stone pine
- Reduces odors, bacteria, and moisture
- Hygienic and with a pleasant fragrance
- The natural way to get rid of moisture with high absorbency
- Your boots will dry faster than with air drying alone
- Reusable and environmentally friendly
- No need for a power connection or an external power supply
- Available in pairs or as dispenser with 15 pairs



10-3100-371  
**DISPENSER (15)**



**ONE**  
SIZE



**WARM AIR FOR  
DRY EQUIPMENT.  
DRYING SYSTEMS**

## BAGS AND HEATED BAGS

01-2100-024

### SKIBOOT BAG

- Material: 54 % polyester, 46 % nylon
- Dimensions: 270 x 400 x 440 mm (W x H x D)



01-2100-122

### RACING BAG PRO

- Capacity: 70 liters
- Many practical compartments and storage options
- Stowage net on side and fastening cord on top
- Anatomically adaptable carry system
- Material: 54 % polyester, 46 % nylon
- Dimensions: 440 x 540 x 330 mm (W x H x D)

The backpack can also be equipped with a heating element (220 V / 12 V)



01-2100-123

### HEATED RACING BAG PRO

- Capacity: 70 liters
- Many practical compartments and storage options
- Stowage net on side and fastening cord on top
- Anatomically adaptable carry system
- Heating mat with 230 V power plug and 12 V car adapter
- Material: 54 % polyester, 46 % nylon
- Dimensions: 440 x 540 x 330 mm (W x H x D)



01-2100-082

### HEATED SKI BOOT BAG

- Can be used with a carrying strap or as a backpack
- Removable heating element on 3 sides of the bag for even heat distribution
- Additional compartment for accessories
- 230 V power plug and 12 V car adapter
- Material: 54 % polyester, 46 % nylon
- Dimensions: 440 x 490 x 260 mm (W x H x D)



01-2100-112

## TRAVEL BAG

- Capacity: 90 litres
- Removable grip
- Low-noise rollers
- Material: 100 % nylon 400 D, water repellent
- Dimensions: 330 x 700 x 410 mm (W x H x D)



01-2100-113

## BACKPACK TROLLEY

- Capacity: 40 litres
- Removable grip
- Low-noise rollers
- Material: 100 % nylon
- Dimensions: 400 x 550 x 180 mm (W x H x D)



01-2100-106 // 230 V / 12 V

## SPARE MAT

- HEATED SKIBOOT BAG
- RACING BAG PRO



## DESIGN YOUR OWN HEATED BAG

- Strengthen team spirit with branded heated bags and successfully promote customer loyalty
- From a total order quantity of 100 units
- Material: 54 % polyester, 46 % nylon
- Dimensions: 440 x 490 x 260 mm (W x H x D)



## ANALYSIS & FITTING

Professional fitting is based on analysis of the foot. From the three-dimensional representation of both feet using the BOOTDOC 3D Scanner VANDRA to its easy-to-use Feet View, BOOTDOC offers several devices that revolve around this. Because each BOOTDOC insole can be heated and custom molded and BOOTDOC has designed specific heating devices for each category of insole and customization. Depending on the style of insole, and experience of the shop, the BOOTDOC insoles can be customized by using a specialty VAC system, Autofit BT or molding pillows.

## ANALYZING SYSTEMS



ER\_WIN 3D FOOT SCAN



3D SCANNER VANDRA



PODO EASY



FEET VIEW



FMD FOOT MEASURE DEVICE

## HEATING SYSTEMS



3D HEATER



SPEED HEAT DIGITAL 3L



HEAT GUN


## FITTING SYSTEMS



AUTOFIT BT




VAC IV ELECTRIC



PILLOWS 13

## FIT STATIONS



AUTOFIT CENTER BT



FIT CENTER

# HYGIENIC, FAST AND EASY.

BOOTDOC and Easyrent technologies have been combined in a 3D foot scan system as part of an interdepartmental development project. ER\_WIN measures the foot automatically, without making any contact. The result is displayed in seconds. The customers can wear their socks during the 2-second scan process thereby ensuring a hygienic, fast, and easy process.

**Rental:** During development, the focus was on sturdy construction to withstand the frequent use in ski rental shops. Cameras and sensitive system components are fully integrated into the housing for years of use in the demanding environment. The scanner is the ideal tool for a precise, contactless, and fast rental process, and offers the optimal modern solution for both the customer and the sports retailer.

**Retail:** Supplemented with a pressure measuring plate, the ER\_WIN now also provides information on static and dynamic pressure distribution. The scanner is the perfect accompaniment to servicing the customer and ensures that the right ski boots and insoles are quickly found. This results in profitable add on sales not just in winter, but all year round.

**A wide range of models can be ordered and used depending on your individual requirements (insole selection, data analysis, etc.)**



01-2300-202

# ER\_WIN 3D FOOT SCAN

Hygienic. Fast. Simple.

- Automatic and contactless
- The result is displayed in seconds
- Robust design, attractive design
- Dimensions: 800 x 260 x 810 mm (W x H x D)




A permanent connection to the internet via LAN is recommended to provide updates and support

\*Screen not included in scope of delivery




Start: the customer must roll up their pants (to expose the ankle) and step on the scanner. The feet should be parallel within the markings. Select the category and gender. Start the scanning process.





The scanning process takes just a moment



Overview of results



The width measurement of the forefoot is displayed




**NEW**

01-2300-212

## PRESSURE MEASURING PLATE

Extension module for the ER\_WIN scanner

- The pressure measuring plate enables both static and dynamic pressure measurements
- For static measurements, there is the option of measuring in real time (live)
- The dynamic measurement can be analyzed in detail on the screen after recording and played back in slow motion
- Hydrograph, center of gravity and pressure distribution are further analysis results




10-3100-373 // 3000 x 700 mm  
**CARPET FOR PRESSURE  
MEASURING PLATE**

01-2300-203

## ER\_WIN FLOOR BASE

- Dimensions: 430 x 430 mm (W x D)
- Total height including screen: 1350 mm

\*Screen not included in scope of delivery



01-2300-211

## ER\_WIN TOUCHSCREEN

- Size: 22"



01-2300-190

## ER\_WIN WEIGHT MODULE

- Dimensions: 800 x 40 x 810 mm (W x H x D)



01-2300-197

## ER\_WIN INSOLE MODULE

- Enables the automatic insoles proposal

\*Illustration only symbol photo



01-2300-200

## ER\_WIN HOUSING WITH BAR CODE SCAN



01-2300-199

## ER\_WIN CABLE PROTECTION



**NEW**

01-2300-220

## DATA RECORDING AND ANALYSIS MODULE

The results dashboard in the backend presents the number of completed scans per day or within a defined time period. It also provides a comprehensive size distribution by gender as well as detailed analyses of width, volume and arch types.

\*Illustration symbol photo only



01-2300-169

## PRINTER STAR TSP143IIU ECO

- Slip printer, thermal direct
- 8 points / mm (203 dpi)
- Variable paper width (58 / 80 mm)
- Maximum print width: 72 mm
- Cutter
- ESC / POS
- USB cable and power cord



01-2300-186 // 80 mm  
**SPARE PAPER ROLL**

01-2300-110

## 3D SCANNER VANDRA

The Vandra 3D foot scanner delivers a three-dimensional image of both feet in seconds.

Thanks to the latest technology of 4 depth compensation cameras both feet are measured and 3D rendered within a few seconds. The visualized 3D picture is of the highest precision and can be analyzed from various angles. Just step on the 3D Scanner without any other device. No changing of socks or special equipment is required. This guarantees efficiency, high comfort, and no hygiene hassle during the analysis process. The 3D Scanner Vandra offers vast information about, and eleven measurements of, the foot. The result is visualized in the split-screen app on the tablet. The left side shows the 3D rendered foot which can be looked at from all angles with zoom in / out function. The right side allows you to scroll up or down to view all the measurement data. The result of the analysis is a vast number of information and measurements around the foot. The Vandra can not only provide length and width but also arch type, instep height, volume recommendation and other useful information to allow for the best customer service. The data is anonymously stored in an online cloud and is being used for further developments around the footwear and insole business. It's amazing how simple it is to use the Vandra 3D Scanner. The plug & play version includes an intuitive portable touchscreen tablet that is easy to use. The analysis process is done within a few seconds and can be discussed with the customer using the tablet for visuals.



- Length and width of both feet as well as size recommendation in US, UK, EU, MP with manual correction option
- Visualization of the foot type LOW / MID / HIGH arch
- Zoom in / out function on the 3D model
- Instep height and heel circumference
- Instep length as well as width and volume recommendation
- Measurement information can be e-mailed to clients
- Dimensions: 800 x 320 x 670 mm (W x H x D)

A permanent connection to the Internet via WLAN or LAN is necessary.



## AUTOFIT BT


The patent-pending AUTOFIT system adapts insoles to the customer's foot shape automatically and in next to no time. All functions are easily controlled from a tablet. The Fit Pods are electrically adjusted to the respective hip width and the preheated insoles are pressed against the foot using a special membrane and air pressure. To facilitate optimum positioning of the insoles in the Fit Pods, a vacuum is generated first. The fore foot covering is adjusted to the correct shoe size and the preheated insoles are inserted. The customer then places their feet on the insoles. Depending on their preference, this fitting can be done while sitting or standing. A laser helps to align the leg axis. After switching the AUTOFIT from vacuum to air blowing, the membrane is pressed against the foot from the fore foot to the heel. The weight of the customer and the type of fitting can be defined. The preheated and thus flexible insole hardens in the exact shape formed by the foot with a partial weight bearing. The result is a perfect fit! The processing time can be adjusted precisely within a predefined time frame and optimized for the respective insole type. Errors in insole production are prevented thanks to the simple, quick, and automated procedure, and reproducible results are ensured. This technical innovation allows for the adaptation of STEP-IN, FUSION, and also 3D insoles.

The Fit Pods and the membrane can be easily replaced if required. AUTOFIT is offered as a stand-alone solution, but can also be integrated into the AUTOFIT CENTER BT. Along with hand holds, it is also equipped with a seat height adjustment, which can also be controlled via the tablet so that the customer can always maintain a 90° position to the Fit Pods for a seated fitting.




01-2300-155  
**SILICONE AUTOFIT BT (2)**

- Automatic insole adjustment in compact design
- Electric hip width adjustment
- Laser-assisted leg axis alignment
- Control via app
- Tablet with installed app included
- Anti-theft device for tablet
- Dimensions: 653 x 157 x 555 mm (W x H x D)



1 Open / Start the pre-installed app on the supplied tablet.




2 Adjusting body weight and cooling time and whether seated or standing is adapted.



- Adjusting seat height and position the Fit Pods
- On / Off the laser function



4 Start of the process by creation of the vacuum. Positioning of the forefoot cover and insertion of the warm insole.



5 After positioning the feet on the preheated insoles, START of the adjustment process by PUMP. During the fitting procedure the pressure as well as the cooling time can be changed.

01-2300-158

## AUTOFIT CENTER BT

The AUTOFIT CENTER BT with integrated AUTOFIT BT boasts an ergonomic design and compact dimensions.

- Modular, compact fitting center with small dimensions
- Electric, height-adjustable seat
- Height-adjustable and rotatable handles
- Retractable module for compact storage
- Flexible mounting attachment for the tablet
- Dimensions: 820 x 850 x 1150 mm (W x H x D)

\*AUTOFIT BT and TABLET AUTOFIT BT not included



01-2300-159

## TABLET AUTOFIT BT

The tablet is needed to use the AUTOFIT BT. Model and colour may vary from product shown.

\*Picture only symbol photo, model and color may vary




01-2300-153

## AUTOFIT POD

Membrane system with air pressure application for the customization of insoles

- Left



01-2300-154

## AUTOFIT POD

Membrane system with air pressure application for the customization of insoles

- Right



01-2300-161

## AUTOFIT FEET REST





01-2300-213 // 230 V

## PODO EASY

**Podoscope with minimal space requirement for easy determination of the foot type**

- High-strength acrylic glass
- Straightforward foot sizing
- Heel positioner & size chart
- Dimensions: 520 x 230 x 470 mm (W x H x D)




01-2300-072

## FEET VIEW

**The FEET VIEW offers the simplest form of foot analysis that determines foot arches and sizes quickly.**

- Integrated length and width measurement
- Uses a non temperature specific foil, which allows year round use
- Dimensions: 250 x 50 x 480 mm (W x H x D)



01-2200-049  
**FOIL FEET VIEW (5)**

01-2300-118

## FMD FOOT MEASURE DEVICE

- Robust and simple foot measuring device
- Displays the length of the foot / shoe size as well as the width of the foot
- Classifies the foot as narrow / medium / wide
- Folding mechanism for easy cleaning
- Dimensions: 470 x 520 mm (W x H)



57-305-004

## MEASURING GAUGE BRANNOCK

A robust foot measuring gauge for precise Mondopoint determination of the foot length and width in millimeters.

- Up to MP 34.0




57-305-007

## MEASURING GAUGE BRANNOCK JUNIOR

A robust foot measuring gauge for precise Mondopoint determination of the foot length and width in millimeters.

- Up to MP 24.0



01-2300-142

## FIT CENTER

The Fit Center has a new ergonomic design and comes in a number of different configurations.

- Modular, compact analysis and adjustment center
- Electrically height-adjustable seat
- Height-adjustable handholds
- Removable module for analysis options
- Dimensions: 770 x 1310 x 810 mm (W x H x D)

\*Devices not included in scope of delivery



01-2300-140 // 110 / 230 V

## VAC IV ELECTRIC

**Electric Vacuum Casting System for molding custom insoles.**

- Two separate, large silicon cushions with additional width-adjustment feature provide for perfect processing
- Speed regulator ensure optimum cushion firmness and air pressure
- High-quality silicon for longevity and excellent heat absorption
- Anti-slip protection in cushion area
- Dimensions: 524 x 150 x 590 mm (W x H x D)

Suitable for FIT CENTER



01-2300-141

## PILLOW VAC IV ELECTRIC

- Dimensions: 220 x 50 x 430 mm (W x H x D)



01-2300-198

## POWERSUPPLY

Suitable for VAC 4 ELECTRIC  
Suitable for AUTOFIT BT



01-2300-058

## PILLOWS 13

**Molding pillows that enable Step-In insoles to be fitted quickly.**

- Dimensions: 170 x 90 x 420 mm (W x H x D)




01-2300-131

## BASEPLATE PILLOWS

- Dimensions: 550 x 40 x 468 mm (W x H x D)

Suitable for FIT CENTER



01-2300-018 // 110 / 230 V

## 3D HEATER

Heats up 3D Custom insoles quickly and evenly.

- Heats all layers evenly
- Time and temperature can be set individually
- Easy cleaning thanks to glass-ceramic surface
- Dimensions: 400 x 105 x 500 mm (W x H x D)



01-2300-132 // 230 V

## SPEED HEAT DIGITAL 3L

The device that heats Fusion and Step-In insoles to the recommended temperature within seconds.

- 3 Integrated SPEED HEAT LAMPS and one spare lamp
- Switchable lamp in the heel area to heat this area as well
- Digital variable heating time setting
- Dimensions: 310 x 260 x 150 mm (W x H x D)

Suitable for AUTOFIT CENTER BT

Suitable for FIT CENTER

\*Lamps are included and not installed to avoid damage during transport



01-2300-148  
**SPEEDHEAT FIXATION  
FIT CENTER  
AUTOFIT CENTER BT**



01-2300-091 // Makita // 230 V

## HEAT GUN

A high-performance dryer that enables Step-In insoles to be heated up quickly and easily.



01-2300-053 // 230 V / 300 W

## SPEED HEAT LAMPS

Spare lamps for the Speed Heat Digital 3L.

- 2 pieces



01-2300-147

## SERVICE CHAIR



01-2100-040

## FIT MAT RAW

### Grip Surface

- Dimensions: 230 x 270 x 5 mm (W x H x D)
- 10 pieces / unit



01-2100-027

## FIT MATERIAL

### Perforated Surface

- Dimensions: 300 x 380 x 3 mm (W x H x D)
- 5 pieces / units



01-2100-054

## FIT MAT FOAM

### Grip Surface

- Dimensions: 230 x 270 x 5 mm (W x H x D)
- 10 pieces / units



01-2100-128

## FIT MAT FOAM

### Perforated Surface

- Dimensions: 230 x 270 x 5 mm (W x H x D)
- 10 pieces / units



01-2100-136

## FIT MAT IC SR

### Recycling Foam

- Dimensions: 400 x 245 x 6.5 mm (W x H x D)
- 10 pieces / units



01-2100-074

## FIT MAT FOAM LINER

Original adhesive foam liner for the foaming process.

- Dimensions: 230 x 270 x 5 mm (W x H x D)
- 10 pieces / units



01-2100-034-x // S - L // 5 mm

## FIT MAT BUTTERFLY

### Grip Surface

- 10 pieces / units



S 01-2100-124 // 5 mm

L 01-2100-125 // 5 mm

## FIT MAT BUTTERFLY

### Perforated Surface

- 10 pieces / units



01-2100-037-x // S - L // 3 mm

## FIT MAT HEEL

### Grip Surface

- 10 pieces / units



01-2100-041-x // S - L // 3 mm

## FIT MAT TONGUE

### Grip Surface

- 10 pieces / units



01-2100-035 // 5 mm

## FIT MAT C

Grip Surface

- 10 pieces / units
- Size: Uni



01-2100-126 // 5 mm

## FIT MAT C

Perforated Surface

- 10 pieces / units
- Size: Uni



01-2100-036-x // S - L // 3 mm

## FIT MAT CALF

Grip Surface

- 10 pieces / units



01-2100-050

## FIT TEMPLATES

- 10 pieces / units
- Size: Uni



01-2100-039 // 5 mm

## FIT MAT L

Grip Surface

- 5 pairs / units
- Size: Uni



01-2100-127 // 5 mm

## FIT MAT L

Perforated Surface

- 5 pairs / units
- Size: Uni



01-2100-066-x // 3 mm // S - L  
 01-2100-067-x // 5 mm // S - L  
 01-2100-101 // 9 mm

## FIT MAT HEEL WEDGE

- 10 pieces / units



01-2100-042-x // 3 mm // S - L  
 01-2100-043-x // 5 mm // S - L

## FIT MAT VOLUME

- 10 pieces / units



01-2100-100

## FIT MAT HEEL WEDGE GEL

5-mm heel wedge with additional gel insert for optimum cushioning

- 2 pieces



01-2100-101-x // S - L  
 S: <MP 25.5  
 L: >MP 26.0

## FIX 4 HEEL

- Improved heel support in ski boots with the FIX 4 HEEL system
- Individually adjustable for optimum heel support
- 1 pair / units



01-2100-047

## FITTING TOOL SET

- Inclusive ALU ANKLE PARTS and LENGTH EXTENSION

Case only: 10-5000-031



01-2100-085

## WOODEN LAST SET II

- Newly developed shapes and geometries
- The basic shapes can be adapted to individual needs by grinding



01-2100-048

## PRESS TOOL

- Easy to use thanks to its manual screw, hydraulic pump function
- Inclusive LENGTH EXTENSION



01-2100-095

## HYDRAULIC PRESS II

- Easy & quick use in any area of the ski boots
- Hydraulic hand pump with safety valve (> 95 bar)



01-2100-088 // 2,5 kg

## HYDRAULIC PRESS SET II

- Easy & quick use in any area of the ski boots
- Hydraulic hand pump with safety valve (> 95 bar)
- Flexible hydraulic tubing with expanding piston
- 5 different extension parts
- 7 different shapes
- Dimensions: 405 x 395 mm (W x H)



01-2100-044

## ANKLE HAND SET

- For expanding the ankle and other points of the shell
- Inclusive MOUNTING POST

Case only: 10-5000-030





01-2100-079

## ALU ANKLE PARTS PRESS TOOL

- Specially designed for stretching specific areas of ski boot shells



01-2100-078

## PRESS TOOL LENGTH EXTENSION

- For use with the press tool for stretching the length of shoes



55-104-320

## FLEXIBLE SHAFT GRINDER

Basic device



55-104-322 // 1500 mm

## FLEXIBLE SHAFT GRINDER

Flexible shaft and collet wrench



55-104-330 // 1500 mm  
SPARE SHAFT CORE

55-104-324 // 6 mm // M 12

## FLEXIBLE SHAFT GRINDER

Shaft



55-104-326 // ø 30 mm // M 12

## FLEXIBLE SHAFT GRINDER

Carbide burr, ball



55-104-328 // ø 25 x 35 mm // M 12

## FLEXIBLE SHAFT GRINDER


Carbide burr, egg



01-2300-103 // 24 kg

## GP PODO MINI

- Table grinding machine
- Drive motor with 100 mm grinding disc
- Compatible with grinding and milling bits of up to 140 mm
- Dust filter, suction, voltage 230 V, 1 Ph, 50 Hz
- Dimensions: 560 x 480 x 230 mm (W x H x D)



01-2300-115  
**SPARE GRINDING  
BELT: GRINDING  
BELT PODO MINI  
K36**

01-2300-116  
**SPARE GRINDING  
BELT: GRINDING  
BELT PODO MINI  
K24**

01-2100-086 // 230 V // 50 / 60 Hz // 180 Watt

## ELECTRIC GRINDER

- Easy and fast handling, operated by foot pedal
- Motor (20,000 rpm), control pedal and different attachments

01-2100-129  
**SPARE FOOT PEDAL**

01-2100-130  
**SPARE SPINDLE**

01-2100-131  
**SPARE GRINDING WHEELS (5)**



01-2100-137

## BOOT OPENER PRO

Professional fixing and stretching of ski boot shells

- Option of performing direct fine adjustments while on the customer's foot
- Possible to machine the boots with milling cutters and other tools
- Solid design
- Dimensions: 450 x 150 x 520 mm (W x H x D)



01-2100-138

## BOOT OPENER EASY

Straightforward stretching of ski boot shells

- Possible to machine the boots with milling cutters and other tools
- Powerful lever transmission
- Dimensions: 210 x 60 x 400 mm (W x H x D)



01-2100-114

## ULTRACAM UP BASIC

- 1 Stretch Arm + 1 Ankle Arm
- Separate controls for temperature and time
- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.
- Three sets of milled ankle stretch forms
- Three pairs of lasts with various small adapters



01-2100-115

## ULTRACAM UP STRETCH ARM

- Second stretch arm for ULTRACAM UP BASIC
- Can be easily mounted on the basic device
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.



01-2100-116

## ULTRACAM STAR ANKLE ARM

- Single, electric
- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Separate controls for temperature and time
- Three sets of milled ankle stretch forms
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.



01-2100-119

## ULTRACAM STAR ANKLE ARM

- Double, electric
- Can handle two ski boots simultaneously and independently from each other
- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Separate controls for temperature and time
- Three sets of milled ankle stretch forms for each arm
- Equipped with compressed air cooling to cool down ski boots in approx. 20 min.



\*DIGITAL MEASURING GAUGE not included

01-2100-118

## ULTRACAM STAR ANKLE ARM

- Single, without time and temperature control
- Swiveling ankle stretch arm in order to be able to reach all areas in the ski boot
- Three sets of milled ankle stretch forms



01-2100-117

## AIRCOOLING SET

- Four-Way
- Compressed air hose set for ULTRACAM UP and STAR devices
- Easy installation: Connect the air-cooling set with the respective ULTRACAM device and your compressed air generator, open the respective air valves and cool down the heated ski boots in approx. 20 min.



01-2100-120 // 3 + 3

## ULTRACAM STAR SET ANKLE STRETCH FORMS

- Milled ankle stretch parts with a smooth surface
- Includes two sets of round ankle parts in two sizes and a set with an elliptical shape



01-2100-132

## ULTRACAM UP SET OF LASTS

Casual

- With various small adapters



55-104-221

## ULTRACAM ACCESSORIES & TOP PLUS



55-104-120

## ULTRACAM LAST SET



55-104-225

## ULTRACAM SMALL



55-104-224

## ULTRACAM OVAL



55-104-220

## ULTRACAM HEEL ADAPTER



55-125-200

## WORK BENCH

Inclusive wooden worktop, wheels and 3 lockable drawers. The perfect bench for any boot fitting tools

- Mobile
- Dimensions: 800 x 905 x 525 mm (W x H x T)

\*ULTRACAM not included



01-2200-053-2 // XS - S  
01-2200-053-3 // M - L  
01-2200-053-4 // XL - XXL

## HEEL CUP HEXAONE



- Stabilizer
- Self-adhesive tape included

01-2200-054-2 // XS - S  
01-2200-054-3 // M - L  
01-2200-054-4 // XL - XXL

## HEEL CUP HEXATWO



- Stabilizer
- Self-adhesive tape included

01-2200-040

## HEEL PERFORMANCE



- Stabilizes 3D insoles
- Size: Uni

01-2200-041

## HEEL COMFORT



- Stabilizes 3D insoles
- Softer material, perforated
- Size: Uni

01-2100-029-x // S - XL

## PELOTTEN

- Microfiber cover
- Self-adhesive
- 10 pairs / units



01-2200-042-x // XS - XXL // 1.2 mm

## REFOSTAB 3/4

- Self-adhesive reinforcing materials for use in the heel and midfoot areas



01-2200-043-x // XS - XXL // 1.2 mm

## REFOSTAB ARCH

- Self-adhesive reinforcing materials for use in the longitudinal arch area



01-2200-044-x // XS - XXL // 1.2 mm

## REFOSTAB HEEL

- Self-adhesive reinforcing materials for use in the heel area



01-2200-033

## 3D TEMPLATES

- Templates for precise size determination
- Size: Uni



01-2200-051-x // XS - XXL

## ARCH POST

- Self-adhesive stabilization elements that are attached medially and laterally to the underside of insoles
- Can be adapted by grinding
- Contents: 2 medially (R + L), 2 laterally (R + L)



01-2100-108

## TOP SHEET MERINO

- Dimensions: 120 mm x 10 m, 2 mm



01-2100-055

## TOP SHEET MICROFIBER


- Dimensions: 120 mm x 10 m, 0.6 mm



01-2100-056

## TOP SHEET SYNTHETIC LEATHER


- Dimensions: 120 mm x 10 m, 0.9 mm



01-2100-060

## TOP SHEET CAMBRELLE


- Dimensions: 120 mm x 10 m, 0.6 mm



01-2100-109

## TOP SHEET TX MATERIAL ROLL

- Dimensions: 120 mm x 10 m, 0.6 mm



01-2300-082

## SCISSOR STRAIGHT

- For a precise straight cut



01-2300-083

## KNIFE

- For a precise cut



01-2100-051

## HYGIENE SPRAY



01-2100-052

## COOLING SPRAY



01-2100-053

## SILICONE SPRAY



10-3100-338

## WALL DISPLAY

BOOTDOC / HOTRONIC

- Dimensions: 500 x 1600 x 400 mm (W x H x D)



10-3100-324 // 300 mm

## SLATWALL HOOKS

Universal

- 10 pieces



10-3100-356

## SOCKS DISPLAY

- With 12 hooks for approx. 60 pairs of socks
- Quick and easy to assemble
- The information is basically available in German, English, French and Italian. These can be fixed accordingly on the display to support the sales process
- Dimensions: 600 x 1500 x 362.8 mm (W x H x D)



10-3100-327 // BOOTDOC

## MAGNET SIGN WALL DISPLAY

- Dimensions: 300 x 120 mm (W x H)



10-3100-328 // HOTRONIC

## MAGNET SIGN WALL DISPLAY

- Dimensions: 300 x 120 mm (W x H)



10-3100-085

## FOOT MODEL HIGH-ARCHED



10-3100-082

## FOOT MODEL SKELETON



10-3100-083

## FOOT MODEL NORMAL



10-3100-084

## FOOT MODEL FLAT



10-3100-264

## PRESENTATION FOOT

Short



10-3100-263

## PRESENTATION FOOT

Long



- Improved anatomical foot shape with magnet and stand disc

10-3100-250

## CUBE SEAT

- Dimensions: 400 x 400 x 400 mm (W x H x D)



10-3100-334

## HEAT SOCKS DISPLAY

- Contents: display, heat sock, power supply, foot model
- Dimensions: 300 x 585 x 280 mm (W x H x D)



01-0100-365  
HEAT SOCKS DISPLAY  
STICKER XLP S

10-3100-080 // 2000 mm

10-3100-286 // 5000 mm

## BEACH FLAG



10-3100-291

## CARPET

Footcheck

- Dimensions: 1200 x 750 mm (W x H)



10-3100-372

## CARPET

BOOTDOC-HOTRONIC

- Dimensions: 750 x 500 mm (W x H)



10-3100-354

## CARPET

ASC

- Dimensions: 2000 x 2000 mm (W x H)



10-3100-355

## DEMO INSOLE COMFORT

Large

- Length: 850 mm



10-3100-367

## DEMO INSOLE FITNESS

Large

- Length: 850 mm



10-3100-368

## DEMO INSOLE STABILITY

Large

- Length: 850 mm



10-3100-369

## DEMO INSOLE TOP RUN

Large

- Length: 850 mm



10-3300-014-x // S - XXXL

## JACKET

- Material: 100% polyester



10-3300-020-x // XS - XXXL

## HOODIE

- Material: 80% cotton, 20% polyester



10-3300-019-x // S - XXXL

## POLO SHIRT

- Material: 50% cotton, 50% polyester



10-3300-018-x // XS - XXXL

## POLO SHIRT

- Material: 50% cotton, 50% polyester



10-3300-017-x // XS - XXXL

## T-SHIRT

- Material: 100% cotton



## CATALOGUE

Winter & Summer 2025/26

- 10-3200-260: German
- 10-3200-261: English
- 10-3200-262: Italian
- 10-3200-263: French



The design of some models and clothing sizes may vary due to changes in collections and residual stock.

**SIZE CHARTS**
**INSOLES**

BD	XS		S		M		L		XL		XXL
Length (mm)	217	227	237	247	257	267	277	287	297	307	317
MP	21	22	23	24	25	26	27	28	29	30	31
EU	32 – 33.5	34 – 35.5	36 – 37.5	38 – 38.5	39 – 40	40.5 – 41.5	42 – 42.5	43 – 44	44.5 – 45.5	46 – 47	48 – 49
US	3	4	4 ½ – 5	5 ½ – 6	6 ½ – 7	7 ½ – 8	8 ½ – 9	9 ½ – 10	10 ½ – 11	11 ½ – 12	12 ½ – 13 ½
UK	2	3	3 ½ – 4	4 ½ – 5	5 ½ – 6	6 ½ – 7	7 ½ – 8	8 ½ – 9	9 ½ – 10	10 ½ – 11	11 ½ – 12 ½

**POWER FIT SOCKS**

BD	XS	S	M	L	XL
EU	32 – 34	35 – 38	39 – 41	42 – 44	45 – 48
US/CA Men	2 – 3	4 – 6	7 – 8	9 – 10	11 – 13
US/CA Woman	3 – 4	5 – 7	8 – 9	10 – 11	12 – 14
UK	1 – 2	3 – 5	6 – 7	8 – 9	10 – 12
Metric	200 – 210	220 – 240	250 – 260	270 – 280	290 – 310

**POWER FIT SOCKS JUNIOR**

BD	XXXXS	XXS	XS	S
EU	23 – 26	27 – 30	31 – 34	35 – 38
US	7 – 9	10 – 12	13 – 3	4 – 6
UK	6 – 8,5	9 – 11,5	12 – 2	3 – 5
Metric	130 – 150	160 – 180	190 – 210	220 – 240

# BOOTDOC

---

# HOTRONIC

Part of  
**WINTERSTEIGER**  
Group

## AUSTRIA

### WINTERSTEIGER Sports GmbH

Wintersteigerstrasse 1  
4910 Ried im Innkreis

Tel.: +43 7752 919-0  
Fax: +43 7752 919-55  
sports@wintersteiger.com

## CANADA

### WINTERSTEIGER Inc.

964 rue Bergar, Laval, Qc  
H7L5A1

Tel.: +1 450 663 7800  
Fax: +1 450 663 2896  
info@canada.wintersteiger.com

## FRANCE

### WINTERSTEIGER S.A.S.

102 Voie Galilée  
Parc d'Activités Alpespace  
73800 Ste. Hèlène du Lac

Tel.: +33 479 25 11 60  
Fax: +33 479 25 11 61  
office-fr@wintersteiger.com

## ITALY

### WINTERSTEIGER Italia s.r.l

39036 (BZ), Strada Ninz 82 –  
Frazione La Villa

Tel.: +39 0471 844 186  
office-it@wintersteiger.com

## NORWAY

### WINTERSTEIGER NC AS

Tornsangerveien 21  
1360 Fornebu

Tel.: +47 64 95 95 95  
post@wintersteiger.no

## SWITZERLAND

### WINTERSTEIGER Schweiz AG

Industriestrasse 86  
7310 Bad Ragaz

Tel.: +41 41 780 23 22  
Fax: +41 41 780 23 90  
office-ch@wintersteiger.com

## USA

### WINTERSTEIGER Inc.

4705 Amelia Earhart Drive  
Salt Lake City  
UT 84116-2876

Tel.: +1 801 355-6550  
Fax: +1 801 355-6541  
mailbox@wintersteiger.com

## REPRESENTATIONS

Andorra, Australia, Belgium, Bosnia and Herzegovina, Croatia, Denmark, Czech Republic, Finland, Greece, Netherlands, Kyrgyzstan, Latvia, Lithuania, New Zealand, Netherlands, Poland, Romania, Serbia, Slovakia, Slovenia, South Korea, Spain, Sweden, United Kingdom.

